Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABNAKI

ATF-96
IDENTIFICATION NUMBER

COMMANDED BY

S. J. SOWINSKI LT, U.S.N.

Attached to
_____ Division,
_____ Squadron,
_____ Flotilla,
U.S. PACIFIC Fleet,
_____ Naval District,

Commencing 0000 1 MARCH, 1962,
(zone time and date)

at U.S. NAVAL STATION, ADAK ALASKA,
(location)

and ending 2400 31 MARCH, 1962,
(zone time and date)

at U.S. NAVAL STATION ADAK ALASKA
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63074

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ _____ 19 ____

(Day) (Date) (Month)

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE THURSDAY (Day) 1 (Date) MARCH (Month), 19 62

AT/~~PASSAGE FROM~~ ADAK, ALASKA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	185	13	4	OVC	29.78	39	37	9	1800	AC			
02	190	16	3	OVC	29.78	39	37	9	1800	AC			
03	190	15	3	OVC	29.77	38	36	9	2200	AC			
04	195	17	3	F	29.76	37	36	10	1000	SC			
05	195	13	2	F	29.77	37	36	10	1000	SC			
06	190	13	2	F	29.77	37	36	10	800	SC			
07	195	17	1	R	29.76	36	36	10	800	NS			
08	195	19	1	R	29.75	36	36	10	800	NS			
09	205	20	1	R	29.73	37	36	10	800	NS			
10	200	20	2	L	29.74	37	36	10	1000	NS			
11	205	24	2	L	29.74	38	36	10	1000	SC			
12	205	25	2	L	29.76	39	34	10	1600	AC			
13	210	22	2	OVC	29.76	38	34	10	1600	AC			
14	210	23	2	OVC	29.76	38	34	10	1800	AC			
15	215	24	3	BKN	29.78	39	35	8	2200	AC			
16	220	22	3	BKN	29.77	37	35	8	2800	AC			
17	230	22	3	BKN	29.77	37	35	8	3200	AC			
18	230	24	2	L	29.76	36	35	10	2000	NS			
19	235	26	2	L	29.75	36	35	10	2000	NS			
20	230	22	2	L	29.74	35	34	10	1600	NS			
21	245	18	1	R	29.74	34	34	10	800	NS			
22	235	18	1	S	29.71	34	33	10	800	ST			
23	230	16	1	S	29.71	34	33	10	800	ST			
24	245	16	1	S	29.71	33	33	10	800	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 477

REMARKS

00-04. Moored starboard side to pier-pier(5) at U.S. Naval Station, Adak Alaska with four (4) 1 3/4" springlay lines plus one (1) light wire with manila forward and one (1) light wire with manila aft. Receiving miscellaneous services from pier. Ships present include U.S.C.G.C. Clover (WAGL-792) plus various district craft. Gale condition one set. S.O.P.A. is Commanding U.S. Naval Station, Adak, Alaska.

J. Hoffey CWO USN.

04-08. Moored as before. 0730 Mustered Crew at Quarters for muster and inspection; Absentee none.

J. Hoffey CWO U.S.N.

APPROVED: [signature] LT, U.S.N. COMMANDING

EXAMINED: E.B. Masch LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 1 (Date) MARCH (Month), 19 62

08-12 MOORED AS BEFORE. 0825 MADE DAILY INSPECTION OF MAGAZINE TEMPERATURES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL.

E.B. Masch LTJG USNR

12-16 MOORED AS BEFORE.

E.B. Masch LTJG USNR

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

E.B. Masch LTJG USNR

20-24 MOORED AS BEFORE.

E.B. Masch LTJG USNR

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE FRIDAY (Day) 9 (Date) MARCH (Month), 19 62

AT/~~PASSAGE FROM~~ ADAK, ALASKA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	185	30	7	BKN	30.03	38	29	8	3500	SC			
02	190	32	7	SCT	30.05	32	30	4	3500	SC			
03	190	26	7	SCT	30.05	32	29	5	3500	SC			
04	195	22	7	SCT	30.05	31	29	5	3500	SC			
05	195	23	7	SCT	30.06	29	27	4	3500	SC			
06	190	25	7	SCT	30.08	33	30	4	3500	SC			
07	195	25	7	SCT	30.09	32	29	5	3500	SC			
08	205	26	7	SCT	30.11	33	30	3	4000	SC			
09	205	27	4	SCT	30.15	34	31	3	4000	SC			
10	195	29	2	CLR	30.15	36	32	0	4000	CU			
11	200	32	1	SCT	30.16	36	33	4	4000	SC			
12	200	33	4	SCT	30.17	38	34	4	4000	SC			
13	205	32	3	BKN	30.17	39	35	7	4000	CU			
14	210	33	7	BKN	30.17	38	33	6	4000	SC			
15	215	27	7	BKN	30.17	38	33	7	4000	SC			
16	220	27	4	SCT	30.18	40	34	4	4000	SC			
17	225	26	4	SCT	30.19	37	32	3	4000	SC			
18	225	25	3	SCT	30.18	36	31	2	4000	SC			
19	220	25	3	SCT	30.17	36	31	4	4000	SC			
20	220	25	4	SCT	30.18	35	31	5	4000	SC			
21	210	25	7	OVC	30.15	35	31	10	3500	SC			
22	205	25	7	OVC	30.13	35	31	10	3500	SC			
23	195	25	7	OVC	30.09	36	32	10	3500	SC			
24	200	26	7	OVC	30.08	37	33	10	3500	SC			

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 463

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER FIVE (5) U.S. NAVAL STATION ADAK, ALASKA WITH FOUR (4) 1¾" SPRINGLAY LINES PLUS ONE (1) EIGHT (8) INCH MANILLA LINE FORWARD AND ONE (1) EIGHT (8) INCH LINE AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE USCGS CLOVER (WAGL-292) PLUS VARIOUS DISTRICT CRAFT. SOPA IS COMMANDING OFFICER U.S. NAVAL STATION ADAK, ALASKA.

E. B. Masch LTJG USNR

04-08 MOORED AS BEFORE. 0750 HELD QUARTERS FOR MUSTER AND INSPECTION, ABSENTEES NONE.

E. B. Masch LTJG USNR

APPROVED: _____ LT U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) FRIDAY (Day) 2 (Date) MARCH (Month), 19 62

08-12 Moored as before. 0940 Made daily inspection of magazines and smoke less powder samples; Conditions; normal. Made weekly ~~inspection~~ test of magazine sprinkling system; ~~test~~ satisfactory.

J. J. Stipp, CWO, USN.

12-16 Moored as before.

J. J. Stipp, CWO, USN.

16-20 Moored as before. 1800 Set material condition "Yoke" second deck and below.

J. J. Stipp, CWO, USN.

20-24 Moored as before.

J. J. Stipp, CWO, USN.

APPROVED:

LT, U. S. N. COMMANDING

EXAMINED:

E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE SATURDAY (Day) 3 (Date) MARCH (Month), 19 62

AT/~~PASSAGE FROM~~ ADAK, ALASKA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	200	6	7	OVC	30.33	36	33	10	3500	SC			
02	205	7	7	BKN	29.97	37	33	6	3500	SC			
03	200	7	7	BKN	29.96	38	34	9	3500	SC			
04	205	13	7	L	29.88	38	34	10	3000	SC			
05	205	14	6	BKN	29.81	36	33	5	3500	SC			
06	210	16	6	OVC	29.73	34	32	10	3000	SC			
07	215	19	7	L	29.69	34	32	10	3000	SC			
08	215	15	6	L	29.63	35	34	10	3000	SC			
09	225	16	6	L	29.55	36	35	10	3500	NS			
10	230	15	6	SCT	29.50	38	37	3	3000	NS			
11	230	13	6	SCT	29.45	40	39	3	3000	NS			
12	240	13	5	SCT	29.38	41	41	3	3000	NS			
13	240	19	5	SCT	29.34	44	43	3	3500	SC			
14	235	13	5	R	29.32	44	44	10	3000	SC			
15	230	15	5	SCT	29.32	44	44	5	3000	SC			
16	230	10	5	BKN	29.32	46	44	7	3500	SC			
17	225	8	5	BKN	29.33	44	43	8	3000	SC			
18	235	7	4	SCT	29.34	44	41	3	3500	SC			
19	215	13	4	SCT	29.34	43	40	4	3500	AC			
20	210	18	4	SCT	29.36	48	38	1	4000	AC			
21	210	18	3	SCT	29.37	41	37	2	4600	AC			
22	215	15	4	SCT	29.37	42	37	2	4600	AC			
23	210	18	4	SCT	29.37	41	36	2	4800	AC			
24	205	18	4	SCT	29.37	42	37	1	4600	AC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 647

REMARKS

00-04 Moored starboard side to pier five (5) at U.S. Naval Station, Adak, Alaska with four (4) 1 3/4 inch spring lay lines, plus one (1) eight inch manila line forward and one (1) eight inch manila line aft. Receiving mucell and hose services from the pier. Ships present include U.S.C.G.S. Glover (WAGL 292), Plus various district craft. SOPA is Commanding Officer, U.S. Naval Station, Adak, Alaska.

J. J. Gipp, CWO, USN

04-08 Moored as before. 0750 Mustered the crew on stations; absentees, none.

J. J. Gipp, CWO, USN.

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 3 (Date) MARCH (Month), 19 62

0800-1200: MOORED AS BEFORE. 0928 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

H. L. Swan, ENS, USNR

1200-1600: MOORED AS BEFORE. 1400 COMMENCED COMMANDING OFFICER'S MATERIAL INSPECTION OF ZONES ONE (1) THROUGH FIVE (5). 1532 SECURED FROM COMMANDING OFFICER'S MATERIAL INSPECTION.

H. L. Swan, ENS, USNR

1600-2000: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

H. L. Swan, ENS, USNR

2000-2400: MOORED AS BEFORE.

H. L. Swan, ENS, USNR

APPROVED: M. L. [illegible] LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE SUNDAY (Day) 4 (Date) MARCH (Month), 19 62

AT/~~PASSAGE FROM~~ ADAK, ALASKA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	330	30	5	L	29.50	41	36	0	3000	SC			
02	315	24	5	R	29.39	40	36	0	3000	SC			
03	315	25	5	R	29.40	40	35	0	3000	SC			
04	320	25	5	R	29.41	40	35	1	3000	SC			
05	320	25	5	L	29.41	39	35	4	3000	SC			
06	330	24	6	L	29.43	40	35	4	3000	SC			
07	330	20	6	R	29.47	38	34	8	3000	SC			
08	335	29	7	R	29.48	39	34	6	3000	SC			
09	330	24	7	R	29.52	39	34	6	3000	SC			
10	335	23	7	R	29.54	40	35	7	2500	SC			
11	335	24	7	R	29.53	42	36	6	2500	SC			
12	350	28	7	SCT	29.53	43	36	4	2500	SC			
13	350	28	7	SCT	29.52	43	37	6	2500	SC			
14	355	26	7	SCT	29.51	42	37	5	1000	CU			
15	360	27	7	OVC	29.52	38	34	10	1500	CU			
16	360	18	7	SCT	29.52	38	36	3	1500	CU			
17	365	20	7	SCT	29.52	38	34	3	2500	SC			
18	360	15	6	R	29.53	36	33	8	3000	AC			
19	340	18	6	R	29.54	36	33	8	3000	AC			
20	335	18	5	R	29.56	36	33	8	3000	AC			
21	335	15	4	SCT	29.56	36	33	8	3000	AC			
22	310	12	4	F	29.57	36	33	0	4000	AC			
23	300	9	4	L	29.58	36	31	1	4000	AC			
24	305	8	4	L	29.59	36	31	1	4000	AC			
		1											

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 320

REMARKS

HES

00-04: MOORED STARBOARD SIDE TO ~~BERTH~~ PIER FIVE (5), U.S. NAVAL STATION, ADAK, ALASKA, WITH FOUR (4) 1 3/4 INCH SPRINGLAY LINES PLUS ONE (1) EIGHT INCH MANILA LINE FORWARD AND ONE (1) EIGHT INCH MANILA LINE AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE USCGS CLOVER (WAGL-292) AND VARIOUS DISTRICT CRAFT. SOPA IS COMMANDING OFFICER, U.S. NAVAL STATION, ADAK, ALASKA.

H. W. Swan, ENS, USNR

04-08: MOORED AS BEFORE. 0759 MUSTERED THE CREW ON STATIONS; ABSENTEES NONE.

H. W. Swan, ENS, USNR

APPROVED: _____ LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 4 (Date) MARCH (Month), 19 62

08-12. Moored as before. 0800 Mustred Crew on station absentees none. 1130 Made daily inspection of magazine and smoke pipe sample. Condition normal.

J.E. Hoffey CWO USN.

12-16. Moored as before.

J.E. Hoffey CWO USN.

16-20 Moored as before. 1800 Set material condition Yoke second deck and below

J.E. Hoffey CWO USN.

20-24. Moored as before.

J.E. Hoffey CWO USN.

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: E. B. Musch LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABWAKI (ATF-96) ZONE DESCRIPTION +11 DATE MONDAY 5 MARCH (Day) (Date) (Month), 19 62

AT/~~PASSAGE FROM~~ ADAK, ALASKA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	190	13	5	R	29.59	36	31	0	0	0			
02	195	8	4	S	29.59	34	30	0	0	0			
03	180	9	4	S	29.59	35	31	0	0	0			
04	180	10	4	S	29.58	36	33	0	0	0			
05	180	14	3	S	29.58	36	33	0	0	0			
06	185	10	3	S	29.59	36	33	0	0	0			
07	180	8	3	S	29.59	35	31	0	0	0			
08	175	6	2	L	29.60	34	31	1	4500	AC			
09	175	9	2	SCT	29.61	36	33	3	4500	AC			
10	180	9	1	BKN	29.61	39	35	7	4500	AC			
11	175	14	1	L	29.61	37	34	0	0	0			
12	175	17	1	L	29.60	34	33	0	0	0			
13	170	8	1	S	29.59	34	33	0	0	0			
14	170	16	2	S	29.56	34	33	0	0	0			
15	170	14	2	S	29.57	36	34	0	0	0			
16	165	13	3	S	29.57	37	33	1	4000	AC			
17	165	6	2	S	29.60	36	35	0	0	0			
18	160	7	2	L	29.61	36	33	0	0	0			
19	160	6	3	S	29.61	34	31	0	0	0			
20	155	6	3	S	29.62	31	29	0	0	0			
21	155	8	2	S	29.62	31	29	0	0	0			
22	160	6	2	L	29.63	30	28	0	0	0			
23	160	4	1	L	29.63	30	28	0	0	0			
24	160	6	1	S	29.64	30	28	0	0	0			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 465

REMARKS

00-04. Moored Starboard side to pier #5 at U.S. Naval Station Adak, Alaska with four (4) 13/16" inch Springlay lines plus one (1) light inch manila forward and one (1) light inch manila aft. Receiving miscellaneous service from the pier. Ships present include U.S.C.G.C. Clover (WPGC-797), plus various district craft. SOPA is Commanding Officer U.S. Naval Station, Adak, Alaska.

J. E. Hoffey CWO U.S.N.

04-08. Moored as before. 0750 Mustered Crew at Quarters for muster and inspection; Absentees none.

J. E. Hoffey CWO U.S.N.

APPROVED: LT, U.S.N. COMMANDING

EXAMINED: E. B. Masch LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 5 (Date) MARCH (Month), 19 62

08-12 MOORED AS BEFORE. 1110 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL.

E.B. Masch LTJG USNR

12-16 MOORED AS BEFORE. 1535 THE COMMANDING OFFICER HELD MAST AND IMPOSED NON-JUDICIAL PUNISHMENT AS FOLLOWS: FERGUSON, H.E., 519 96 38, EN3, USN, VIOLATION UCMJ ARTICLE 92, DERELICTION IN DUTY; PUNISHMENT REDUCED TO ENFN TO BE SUSPENDED FOR SIX(6) MONTHS.

E.B. Masch LTJG USNR

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

E.B. Masch LTJG USNR

20-24 MOORED AS BEFORE.

E.B. Masch LTJG USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE TUESDAY (Day) 6 (Date) MARCH (Month), 1962

AT/~~PASSAGE FROM~~ ADAK, ALASKA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	160	6	5	L	29.63	30	28	10	4000	AC			
02	160	7	5	L	29.62	34	31	10	4000	AC			
03	165	10	4	S	29.59	36	33	10	4000	AC			
04	165	12	5	SW	29.57	37	33	10	3500	AC			
05	175	12	5	SW	29.49	36	33	10	3500	AC			
06	175	8	6	SW	29.49	37	34	10	3500	CU			
07	180	15	7	SW	29.46	37	35	10	3500	CU			
08	175	20	7	S	29.44	39	37	10	3000	CU			
09	185	12	7	S	29.40	40	36	10	2500	CU			
10	190	16	5	S	29.38	40	37	10	2500	CU			
11	190	22	5	L	29.36	40	38	10	2500	CU			
12	190	24	4	L	29.33	40	38	10	3000	CU			
13	200	18	4	L	29.31	40	38	10	3000	CU			
14	205	20	4	S	29.28	42	40	10	3000	CU			
15	215	20	3	RAIN	29.25	42	40	8	2500	CU			
16	225	20	3	RAIN	29.25	42	41	7	2500	CU			
17	230	18	2	DVC	29.26	38	36	10	3000	CU			
18	240	18	1	DVC	29.25	40	37	10	3000	AC			
19	255	16	1	DVC	29.26	40	37	10	3000	AC			
20	265	12	1	L	29.27	40	38	10	3000	AC			
21	270	6	1	L	29.31	38	37	10	1500	SC			
22	285	4	1	L	29.38	38	37	10	1500	SC			
23	295	6	1	RAIN	29.33	38	36	9	1500	SC			
24	310	8	1	RAIN	29.34	36	35	8	3000	CU			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 715

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER FIVE (5) U.S. NAVAL STATION ADAK, ALASKA WITH FOUR (4) 1 3/4" SPRINGLAY LINES PLUS ONE (1) EIGHT (8) INCH MANILA LINE FORWARD AND ONE (1) EIGHT (8) INCH MANILLA LINE AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE U.S.C.G.S. CLOVER (WAGL-392) PLUS VARIOUS DISTRICT CRAFT. SOPA IS COMMANDING OFFICER U.S. NAVAL STATION ADAK, ALASKA.

E. B. Masch LTJG USNR

04-08 MOORED AS BEFORE, 0750 HELD QUARTERS FOR MUSTER AND INSPECTION, ABSENTEES NONE.

E. B. Masch LTJG USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) TUESDAY (Day) 6 (Date) MARCH (Month) 19 62

08-12 Moored as before. 0830 Made daily inspection of magazines and smokeless powder samples; conditions normal.

J. J. Tupper, CWO, USN.

12-16 Moored as before. 1310 Commenced taking on fuel. Draft forward 13'0" aft 16'4". 1450 Secured from taking on fuel. Draft forward 13'3" aft 16'6". Received 3,623 gallons.

J. J. Tupper, CWO, USN.

16-20 Moored as before. 1800 Set material condition "Yoke" second deck and below.

J. J. Tupper, CWO, USN.

20-24 Moored as before.

J. J. Tupper, CWO, USN.

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION +11 DATE WEDNESDAY (Day) 7 (Date) MARCH (Month), 19 62

AT/~~PASSAGE FROM~~ ADAK, ALASKA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	310	9	5	R	29.38	36	36	10	0	ST			
02	300	9	5	R	29.39	36	36	10	0	ST			
03	295	5	5	R	29.42	36	36	10	0	ST			
04	285	13	5	RW	29.46	36	36	10	0	ST			
05	305	14	5	BKN	29.50	37	36	9	350	ST			
06	315	17	5	BKN	29.56	37	36	9	350	ST			
07	335	35	5	BKN	29.61	37	35	8	700	ST			
08	285	23	4	OVC	29.66	37	35	9	700	ST			
09	265	22	3	OVC	29.72	36	35	9	350	ST			
10	275	30	4	OVC	29.77	36	35	8	350	ST			
11	260	24	4	BKN	29.82	36	34	7	700	CU			
12	255	24	5	BKN	29.84	36	34	8	700	SC			
13	190	18	4	BKN	29.83	36	34	8	700	SC			
14	200	18	7	BKN	29.83	36	33	7	1050	SC			
15	205	22	6	OVC	29.83	37	34	9	1050	SC			
16	175	15	2	S	29.82	36	35	10	350	ST			
17	175	21	2	R	29.86	37	36	10	350	ST			
18	170	11	2	R	29.86	37	36	10	350	ST			
19	180	22	1	R	29.88	36	35	10	350	ST			
20	185	20	1	R	29.88	37	36	10	350	ST			
21	185	22	1	R	29.88	38	36	10	700	ST			
22	185	22	1	R	29.88	40	37	10	1050	SC			
23	180	22	1	R	29.89	40	39	10	350	ST			
24	180	8	1	R	29.91	40	39	10	350	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 368

REMARKS

00-04 Moored starboard side to pier five (5) at U.S. Naval Station, Adak, Alaska with four (4) 1¾ inch spring lay lines, plus one (1) eight inch manila line forward and one (1) eight inch manila line aft. Receiving miscellaneous services from the pier. Ships present include U.S.C.G.S. Glover (WAGL 292), plus various district craft. SOPA is Commanding Officer, U.S. Naval Station, Adak, Alaska.

J. J. Gupp, CWO, USN

04-08 Moored as before. 0750 Mustered the crew at quarters for muster and inspection; absentees; none.

J. J. Gupp, CWO, USN.

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 7 (Date) MARCH (Month), 19 62

0800: MOORED AS BEFORE. 0925 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

H K Swan, ENS, USNR

1200: MOORED AS BEFORE.

H K Swan, ENS, USNR

1600: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

H K Swan, ENS, USNR

2000: MOORED AS BEFORE.

H K Swan, ENS, USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE THURSDAY (Day) 8 (Date) MARCH (Month), 19 62

AT/~~PASSAGE FROM~~ ADAK, ALASKA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	175	18	1	R	29.91	40	39	10	350	SC			
02	185	12	1	R	29.91	40	39	10	350	SC			
03	165	15	1	R	29.91	40	39	10	350	SC			
04	160	14	2	L	29.91	40	39	10	350	ST			
05	150	20	2	L	29.88	41	39	10	700	ST			
06	160	20	3	L	29.86	41	40	10	350	ST			
07	165	23	2	L	29.84	41	40	10	350	ST			
08	165	24	1	L	29.83	40	40	10	0	ST			
09	150	24	1	R	29.83	40	40	10	0	ST			
10	150	28	1	L	29.83	40	40	10	0	ST			
11	155	34	1	L	29.83	40	40	10	0	ST			
12	150	30	2	R	29.80	41	41	10	0	SC			
13	155	35	1	R	29.81	41	41	10	0	SC			
14	155	35	1	R	29.80	41	40	10	350	SC			
15	155	33	2	R	29.80	41	40	10	350	SC			
16	155	32	2	R	29.79	42	41	10	350	SC			
17	180	18	2	L	29.79	43	43	10	0	ST			
18	175	32	2	L	29.79	42	42	10	0	ST			
19	180	15	1	F	29.80	40	40	10	0	ST			
20	180	15	3	L	29.81	40	40	10	0	ST			
21	180	15	3	L	29.78	40	40	10	0	ST			
22	175	20	2	L	29.78	40	40	10	0	ST			
23	175	15	2	L	29.77	40	40	10	0	ST			
24	165	18	2	L	29.77	40	39	10	350	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 402

REMARKS

00-04: MOORED STARBOARD SIDE TO PIER FIVE(5) AT U.S. NAVAL STATION, ADAK, ALASKA WITH FOUR (4) 1 3/4 INCH SPRING LAY LINES AND ONE (1) EIGHT INCH MANILA LINE FORWARD AND ONE(1) EIGHT INCH MANILA LINE AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE USCGS CLOVER(WAGL-292), SS CONTEST, AND VARIOUS DISTRICT CRAFT. SOPA IS COMMANDING OFFICER, U.S. NAVAL STATION, ADAK, ALASKA.

[signature], GMG, USNR

04-08: MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE.

[signature], GMG, USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. March LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 8 (Date) MARCH (Month), 1962

08-12. Moored as before. 0906. Made daily inspection of magazine and smoke lamp powder samples. Condition normal. 1032. Tested port and starboard steering units.

J. E. Hoffey CWO USN.

12-16. Moored as before. 1335. Commenced testing screws at 10 R.P.M. astern. 1500 secured from testing screws.

J. E. Hoffey CWO U.S.N.

16-20. Moored as before. 1800 set material condition Yoke second deck and below.

J. E. Hoffey CWO U.S.N.

20-24. Moored as before. 2315. Gale warning reduced to small craft warning

J. E. Hoffey CWO U.S.N.

APPROVED: [signature] LT U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE FRIDAY (Day) 9 (Date) MARCH (Month), 19 62

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	150	12	5	L	29.77	41	40	10	350	ST			
02	150	10	3	R	29.76	38	37	10	350	ST			
03	140	12	3	RW	29.74	37	36	10	350	ST			
04	150	5	3	R	29.74	36	35	10	350	ST			
05	150	5	2	R	29.74	36	35	10	350	ST			
06	140	3	2	R	29.74	36	35	10	350	ST			
07	065	5	2	R	29.74	36	35	10	350	ST			
08	060	3	2	R	29.73	36	35	10	350	ST			
09	035	10	3	OVC	29.74	36	35	10	350	ST			
10	030	10	3	OVC	29.74	36	35	10	350	ST			
11	040	10	3	OVC	29.75	36	35	10	350	ST			
12	000	5	2	OVC	29.70	37	36	10	350	ST			
13	010	3	2	R	29.69	37	36	10	350	ST			
14	030	2	2	S	29.72	37	36	10	350	ST			
15	035	2	1	S	29.72	37	36	10	350	ST			
16	030	2	1	S	29.72	35	35	10	0	ST			
17	035	2	1	S	29.72	35	34	10	350	ST			
18	035	1	1	S	29.73	35	35	10	0	ST			
19	040	5	1	S	29.74	35	34	10	350	ST			
20	035	5	2	S	29.75	35	34	10	350	ST			
21	035	2	2	S	29.76	35	34	10	350	ST			
22	035	2	2	S	29.76	36	35	10	350	ST			
23	050	4	2	OVC	29.76	36	34	10	700	SC			
24	080	6	2	L	29.76	36	34	10	700	SC			

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 599

REMARKS

00-04. Moored starboard side to pier Lima (5) at U.S. Naval Station Adak, Alaska with four (4) 1¾ inch Springlay lines plus one (1) eight inch manila line forward and one (1) eight inch manila aft. Receiving miscellaneous stores from the pier. Ships present inclued U.S.C.G.C. Clover (WAGL-297) and S.S. Contest. Plus various district Craft. SOPA. is Commanding Officer U.S. Naval Station Adak, Alaska.

J.E. Hoffey CWO U.S.N.

04-08. Moored as before. 0750 Mustered Crew at Quarters for muster and inspection, Absentee none.

J.E. Hoffey CWO U.S.N.

APPROVED: _____ LT, U.S.N. COMMANDING

EXAMINED: E. B. Mash LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 9 (Date) MARCH (Month), 19 62

08-12 MOORED AS BEFORE. 0816 SS CONTEST STANDING OUT. 1022 MADE DAILY from INSPECTION OF MAGAZINE TEMPERATURES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL, CONDUCTED WEEKLY INSPECTION OF MAGAZINE SPRINKLING SYSTEM, TEST SATISFACTORY.

E.B. Masch LTJG USNR

12-16 MOORED AS BEFORE.

E.B. Masch LTJG USNR

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

E.B. Masch LTJG USNR

20-24 MOORED AS BEFORE.

E.B. Masch LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: E.B. Masch LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE SATURDAY (Day) 10 (Date) MARCH (Month), 19 62

AT/PASSAGE FROM ADAK, ALASKA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	335	16	2	S	29.77	36	34	10	700	ST			
02	345	20	3	OVC	29.77	36	34	10	700	ST			
03	350	22	2	S	29.77	36	34	10	700	ST			
04	345	15	2	S	29.78	36	35	10	700	ST			
05	335	22	2	S	29.78	36	34	10	700	ST			
06	330	23	2	S	29.79	36	34	10	700	ST			
07	335	18	2	OVC	29.79	35	33	10	700	ST			
08	315	18	2	OVC	29.80	36	34	9	700	ST			
09	330	9	2	OVC	29.81	36	34	9	700	ST			
10	320	18	2	OVC	29.80	37	34	9	1050	SC			
11	330	20	2	OVC	29.80	37	34	9	1050	SC			
12	330	19	3	OVC	29.81	37	34	9	1050	SC			
13	305	13	3	OVC	29.80	37	34	9	1050	SC			
14	290	15	3	OVC	29.80	37	34	9	1050	SC			
15	290	14	3	OVC	29.85	38	34	9	1400	AC			
16	295	14	4	OVC	29.88	38	34	9	1400	AC			
17	280	10	3	OVC	29.80	41	36	8	1750	AC			
18	280	14	4	OVC	29.80	38	34	9	1400	AC			
19	285	15	3	OVC	29.85	34	32	10	700	ST			
20	280	15	3	OVC	29.90	36	34	10	700	ST			
21	300	18	3	OVC	29.90	36	34	10	700	ST			
22	260	15	4	OVC	29.90	36	32	9	1400	AC			
23	260	14	4	OVC	29.91	36	34	10	700	ST			
24	290	8	4	OVC	29.87	35	32	10	1050	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 512

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER FIVE (5) U.S. NAVAL STATION ADAK, ALASKA WITH FOUR (4) 1¾" SPRINGLAY LINES PLUS ONE (1) EIGHT (8) INCH MANILLA LINE AFT AND ONE (1) EIGHT (8) INCH MANILLA LINE AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE USCGS CLOVER (WAGL-292) PLUS VARIOUS COM. DISTRICT CRAFT. SOPA IS COMMANDING OFFICER U.S. NAVAL STATION ADAK ALASKA.

E. B. Masch LTJG USNR

04-08 MOORED AS BEFORE.

E. B. Masch LTJG USNR

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 10 (Date) MARCH (Month), 1962

08-12 Moored as before. 0800 Muntered the crew on stations. Absentees: none. 1030 Commenced Commanding Officers material inspection 1045 Made daily inspection of magazines and spoke tube powder samples; conditions normal. 1125 Secured from Commanding Officers material inspection.

L. F. Stipp, CWO, USN.

12-16 Moored as before. 1315 Muntered the crew at quarters for Commanding Officers personnel inspection. 1350 Secured from Commanding Officers personnel inspection.

L. F. Stipp, CWO, USN.

16-20 Moored as before. 1800 Set material condition "Yoke" second deck and below.

L. F. Stipp, CWO, USN.

20-24 Moored as before.

L. F. Stipp, CWO, USN.

APPROVED: J. [illegible] CT, U. S. N. COMMANDING

EXAMINED: E B Masch LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE SUNDAY (Day) 11 (Date) MARCH (Month), 19 62

AT/~~PASSAGE FROM~~ ADAK, ALASKA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	290	10	4	OVC	29.87	35	32	10	1050	AC			
02	290	15	4	OVC	29.87	35	32	10	1050	AC			
03	295	15	4	OVC	29.86	35	32	10	1050	AC			
04	300	19	4	OVC	29.86	35	33	10	700	SC			
05	300	14	4	SCT	29.88	36	35	4	350	ST			
06	320	18	4	SCT	29.85	37	36	4	350	ST			
07	320	5	6	SCT	29.85	35	33	2	700	SC			
08	285	4	7	SCT	29.85	33	32	2	350	ST			
09	275	4	7	SCT	29.85	36	34	1	700	SC			
10	240	2	7	CLR	29.84	41	36	0	1750	AC			
11	230	2	7	SCT	29.84	42	38	4	1400	AC			
12	205	1	5	BKN	29.80	46	40	8	2100	AC			
13	185	2	5	BKN	29.79	43	38	6	1750	AC			
14	175	6	5	BKN	29.76	39	35	8	1400	AC			
15	200	6	5	OVC	29.74	37	35	10	700	SC			
16	170	8	4	OVC	29.73	38	36	10	700	SC			
17	210	5	3	R	29.72	38	37	10	350	ST			
18	185	2	1	R	29.71	38	37	10	350	ST			
19	185	5	1	L	29.70	39	38	10	350	ST			
20	180	6	1	L	29.69	39	38	10	350	ST			
21	175	5	2	L	29.68	39	38	10	350	ST			
22	170	3	2	L	29.66	40	39	10	350	ST			
23	170	4	2	L	29.65	40	39	10	350	ST			
24	165	4	2	L	29.62	41	40	10	350	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 661

REMARKS

00-04 Moored starboard side to pier five (5) at U.S. Naval Station, Adak, Alaska with four (4) 1 3/4 inch spring lay lines plus one (1) eight inch manila line forward and one (1) eight inch manila line aft. Receiving miscellaneous services from the pier. Ships present include U.S.C.G.C. Klowia (WAGL 292) plus various district craft. SOPA is Commanding Officer, U.S. Naval Station, Adak, Alaska.

J. J. Supp, CWO, USN

04-08 Moored as before.

J. J. Supp, CWO, USN.

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: E. B. Mash LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 11 (Date) MARCH (Month), 19 62

ØB-12: MOORED AS BEFORE. Ø8Ø5 MUSTERED THE CREW ON STATIONS; ABSENTEES NONE. 1138 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

H K Swoon, ENS, USNR.

12-16: MOORED AS BEFORE.

H K Swoon, ENS, USNR.

16-2Ø: MOORED AS BEFORE. 18ØØ SET MATERIAL CONDITION YOKE.

H K Swoon, ENS, USNR.

2Ø-24: MOORED AS BEFORE.

H K Swoon, ENS, USNR.

APPROVED:

LT, U. S. N. COMMANDING

EXAMINED:

E. B. Masch LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE MONDAY (Day) 12 (Date) MARCH (Month), 19 62

AT/PASSAGE FROM ADAK, ALASKA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	270	5	9	1	29.61	40	39	10	350	ST			
02	270	5	9	1	29.60	40	39	10	350	ST			
03	240	8	9	1	29.60	40	39	10	350	ST			
04	250	5	5	CLR	29.57	40	39	10	350	ST			
05	240	5	5	CLR	29.55	40	39	10	350	ST			
06	230	9	5	CLR	29.54	40	39	10	350	ST			
07	240	9	6	OVC	29.51	41	40	10	350	ST			
08	0	0	6	OVC	29.52	48	41	10	350	ST			
09	0	0	6	BKN	29.51	46	44	8	700	SC			
10	0	0	6	BKN	29.50	48	46	8	700	SC			
11	0	0	6	BKN	29.48	47	44	9	1050	AC			
12	0	0	6	OVC	29.47	48	45	10	1050	AC			
13	0	0	9	1	29.46	45	44	10	350	ST			
14	0	0	1	1	29.44	44	43	10	350	ST			
15	0	0	1	1	29.43	43	42	10	350	ST			
16	0	0	1	1	29.42	42	42	10	0	ST			
17	0	0	1	1	29.40	40	40	10	0	ST			
18	215	5	3	1	29.39	39	38	10	350	ST			
19	215	5	3	1	29.41	38	38	10	0	ST			
20	190	15	9	1	29.49	39	39	10	0	ST			
21	175	15	9	1	29.51	39	39	10	0	ST			
22	200	18	9	1	29.53	39	39	10	0	ST			
23	170	28	9	1	29.59	38	38	10	0	ST			
24	190	30	9	RW	29.59	37	36	10	350	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 496

REMARKS

00-04: MOORED STARBOARD SIDE TO PIER FIVE(5) AT U.S. NAVAL STATION, ADAK, ALASKA, WITH FOUR (4) 1 3/4 INCH SPRING LAY LINES AND ONE(1) EIGHT INCH MANILA LINE FORWARD AND ONE(1) EIGHT INCH MANILA LINE AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE USCGS CLOVER (WAGL-292) AND VARIOUS DISTRICT CRAFT. SOPA IS COMMANDING OFFICER, U.S. NAVAL STATION, ADAK, ALASKA.

A.L. Swan, ENS, USNR

04-08: MOORED AS BEFORE. MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE.

A.L. Swan, ENS, USNR

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: E.B. March LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 12 (Date) MARCH (Month), 19 62

08-12 MOORED AS BEFORE. 0830 MADE DAILY INSPECTION OF MAGAZINE TEMPERATURES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL

E.B. Masch LTJG USNR

12-16 MOORED AS BEFORE.

E.B. Masch LTJG USNR

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

E.B. Masch LTJG USNR

20-24 MOORED AS BEFORE. 2040 THOMAS, J.P. ET2, 289 6773, USN AND BURIAN, W.J. ET2, 523 90 71, USN REPORTED ON BOARD FOR TAD PURSUANT TO ORDERS FROM COMMUNICATIONS OFFICER, U.S. NAVAL STATION ADAK, ALASKA.

E.B. Masch LTJG USNR

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI, (ATF-96) ZONE DESCRIPTION +11 DATE TUESDAY (Day) 13 (Date) MARCH (Month), 19 62

AT/~~PASSAGE FROM~~ ADAK, ALASKA TO ATKA, ALASKA

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	330	20	2	RW	29.65	34	33	10	350	ST			
02	345	24	2	OVC	29.65	35	34	10	350	ST			
03	270	20	2	OVC	29.70	37	35	10	700	SC			
04	280	30	3	OVC	29.70	35	34	10	350	ST			
05	290	20	3	OVC	29.70	36	33	10	1050	AC			
06	275	15	3	OVC	29.76	37	36	10	350	ST			
07	255	13	4	L	29.78	37	36	10	350	ST	39	225	1
08	235	10	5	BKN	29.78	38	36	9	700	SC	39	235	1
09	250	11	5	BKN	29.79	38	36	9	700	SC	40	245	2
10	270	8	5	BKN	29.82	40	37	7	1050	AC	40	280	3
11	290	10	5	BKN	29.76	40	38	6	700	SC	40	290	3
12	270	17	5	BKN	29.83	40	38	5	700	SC	40	330	3
13	300	19	5	BKN	29.87	39	37	6	700	SC	40	310	3
14	270	15	5	SCT	29.89	42	40	3	700	SC	40	300	3
15	270	16	5	SCT	29.94	40	38	2	700	SC	40	280	3
16	300	15	5	SCT	29.94	40	38	2	700	SC	40	290	2
17	330	19	5	SCT	29.94	40	38	2	700	SC	40	280	2
18	350	14	5	SCT	29.94	39	36	3	1050	AC	40	330	2
19	335	3	5	SCT	29.95	37	36	3	350	ST	39	330	2
20	320	4	3	OVC	30.00	37	35	9	700	SC	39	315	2
21	300	3	1	L	30.03	38	37	10	350	ST	39	305	2
22	295	3	2	OVC	30.03	39	37	10	700	SC	38	295	2
23	260	2	3	OVC	30.04	38	36	10	700	SC	38	270	1
24	085	3	3	OVC	30.04	37	35	10	700	SC	38	100	1

POSITION	ZONE	TIME
0800		
L 51-53.7N	BY	3
λ 176-26W	BY	3
1200		
L 52-16.3N	BY	3
λ 174-49.5W	BY	3
2000		
L ~~NAZAN BAY~~	BY	
λ ATKA	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 134

FUEL CONSUMED 0000-2400: 2,071

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER(5) U.S. NAVAL STATION, ADAK ALASKA WITH FOUR(4) 1 3/4" SPRINGLAY MOORING LINES PLUS ONE(1) EIGHT(8) INCH MANILA LINE FORWARD PLUS ONE(1) EIGHT(8) INCH MANILA LINE AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE USCGS CLOVER(WAGL-292) PLUS VARIOUS ~~SRM~~ DISTRICT CRAFT. SOPA IS COMMANDING OFFICER U.S. NAVAL STATION ADAK, ALASKA.

E. B. Masch LTJG USNR

04-08 MOORED AS BEFORE. 0630 HELD QUARTERS FOR MUSTER AND INSPECTION, ABSENTEES NONE. 0630 SET SPECIAL SEA AND ANCHOR DETAIL. 0636 UNDERWAY IN ACCORDANCE WITH COMNAVSTA ADAK MSG 1300Z 21Z MARCH 1962, OPERATIONS OFFICER HAS THE CONN, NAVIGATOR IS ON THE BRIDGE. 0700 MAKING VARIOUS COURSE AND SPEED CHANGES NECESSARY TO CLEAR THE PIER AND CONFORM WITH ADAK ALASKA CHANNEL. 0714 SECURED THE SPECIAL SEA AND ANCHOR DETAIL, STEADY ON COURSE 081°T, SPEED 14.3 KNOTS (120 RPM).

E. B. Masch LTJG USNR

APPROVED: _____ LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 13 (Date) MARCH (Month), 1962

08-12. Underway as before 0806 C/C 080°, 0813 C/C 075°, 0815 C/C 074°, 0825 THOMAS, EDWARD, M. FN. 543-47-35 USN. accidently cut left Thumb while attempting to shift bunk lashing with pocket Knife in berthing compartment, was treated aboard for cut and returned to duty, accident not due to his own misconduct. 0827 C/C 077°, 0838 C/C 069° 0840 C/C 067°. 0848 C/C 066°. 0859 C/C 064°, 0902 C/C 062° 0903 Made daily inspection of magazine and smokeless powder samples. Condition normal 0904 C/C 060°, 0905 C/C 058°, 0910 C/C 065°, 0930 C/C 063°, 0945 C/C 061°. 1003 Commenced blowing tubes, 1010 Secured from blowing tubes. 1012 C/C 062° 1022 C/C 065°. 1113 C/C 061°, 1149 C/C 059°.

J.E. Hoffey CWO USN.

12-16 Underway as before. 1224 C/C to 055° 050° PSTGC. 1359 C/C to 090°, 085° PSTGC. 1412 C/C to 126°, 119° PSTGC. 1450 C/C to 165°, 158° PSTGC. 1507 C/C to 180°, 172° PSTGC. 1511 C/C to 205° 197° PSTGC. 1521 C/C to 230° 222° PSTGC. 1541 C/C to 270° 260° PSTGC. 1550 Commanding Officer assumed the conn. 1552 C/C to 280° 270° PSTGC. 1554 C/S to 12.3 knots (100 RPM's). 1557 C/S to 9.5 knots (75 RPMS). Set the special sea and anchor detail.

J.F. Shipp, CWO, USN.

16-20: UNDERWAY AS BEFORE. 1600 C/C TO 270°. 1602 C/C TO 255°. 1603 CAPTAIN ASSUMED THE CONN. 1605 C/C TO 247°. 1606 C/S TO 50 RPM (6.7 KNOTS) 1611 C/C TO 261°. 1613 C/S TO 25 RPM (3.3 KNOTS) C/S TO 18 RPM (2 KNOTS) 1614 A/STOP. 1615 BACK 2/3. ANCHORED IN NAZAN BAY, ATKA ISLAND, ALASKA IN 19 FATHOMS OF WATER, ROCKY BOTTOM WITH 75 FATHOMS OF CHAIN TO THE PORT ANCHOR ON THE FOLLOWING BEARINGS: ROCK 040°, CONE ROCK 262°, UYAK ISLAND RIGHT TANGENT 101°. SOPA IS COMMANDING OFFICER, U.S.S. ABNAKI (ATF-96). 1616 A/STOP. 1628 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 1800 SET MATERIAL CONDITION YOKE.

[illegible], ENS

20-24 ANCHORED AS BEFORE.

E.B. Masch LTJG USNR

APPROVED: [signature] CT, U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE WEDNESDAY (Day) 14 (Date) MARCH (Month), 19 60

AT/PASSAGE FROM ATKA, ALASKA TO ADAK, ALASKA

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	090	3	1	BKN	30.04	40	38	8	700	SC			
02	0	0	1	BKN	30.04	42	40	7	700	SC			
03	0	0	1	BKN	30.04	42	40	7	700	SC			
04	0	0	1	BKN	30.04	42	40	9	700	SC			
05	140	5	1	OVC	30.04	42	40	10	700	SC			
06	140	10	2	BKN	30.04	42	40	7	700	SC			
07	0	0	2	BKN	30.04	42	40	7	700	SC			
08	160	2	3	OVC	30.06	42	40	10	700	SC			
09	150	2	3	OVC	30.06	43	41	10	700	SC			
10	180	3	4	BKN	30.08	39	38	9	350	ST			
11	140	3	5	BKN	30.07	39	37	9	700	SC	39	140	1
12	165	18	5	BKN	30.07	39	37	6	700	SC	39	165	1
13	180	16	5	SCT	30.04	41	39	4	700	SC	39	170	1
14	180	26	5	SCT	29.99	40	38	4	700	SC	39	180	2
15	175	22	5	SCT	30.04	43	41	3	700	SC	40	175	2
16	150	23	5	SCT	29.99	42	39	4	1050	AC	40	165	2
17	165	20	5	SCT	29.97	41	38	4	1050	AC	40	160	2
18	175	18	4	BKN	29.96	40	38	7	700	SC	40	170	2
19	170	17	3	BKN	29.94	43	38	8	1750	AC	40	170	1
20	165	6	3	OVC	29.99	42	38	10	1400	AC	41	165	1
21	170	8	3	OVC	29.94	42	39	10	1050	AC			
22	170	18	3	OVC	29.91	42	39	10	1050	AC			
23	175	16	2	L	29.85	41	39	10	700	SC			
24	175	16	2	L	29.80	40	39	10	350	ST			

POSITION	ZONE	TIME
0800		
L NAZAN BAY	BY	
λ ATKA	BY	
1200		
L 52-18.1 N	BY	3
λ 173-54.8 E	BY	3
2000		
L SWEEPERS CAPE	BY	
λ ADAK	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 131

FUEL CONSUMED 0000-2400: 1,975

REMARKS

00-04. Anchored in Nazan Bay, Atka Alaska in nineteen (19) fathoms of water with Seventy-five (75) fathoms of chain to the port anchor. in Rocky bottom, following anchor bearing Rock 040°. Cone Rock 202° Vyak Island Right tangent 101°. Ship on one(1) hour standby, Condition readiness three and material condition Fobe set. Ship darken (except running lights). SOPA is Commanding Officer U. S. S. Abnaki (ATF-96). 0007 Rubber boat returned with Commanding Officer.

J E Hoffey CWO U.S.N.

04-08. Anchored as before. 0730. Held Quarters for muster and inspection, Absentees none.

J E Hoffey CWO U.S.N.

APPROVED: _____ LT, U. S. N. COMMANDING

EXAMINED: E. B. Mash LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF96). WEDNESDAY (Day) 14 (Date) MARCH (Month), 19 62

08-12 Anchored as before. 0800 Mustered the crew at quarters for muster and inspection; absentees; none. 0810 Made daily inspection of magazines and smokeless powder samples. Conditions; normal. 0945 Commenced making preparations for getting underway. 1045 Set the special sea and anchor detail. 1030 Completed preparations for getting underway. Draft forward 13'6" d/f 16'8". 1058 Underway in accordance with Comdr Sta msg. 1300Z. Captain has the OOD navigator on the bridge. Steering various courses and speeds to conform with Nazan Bay. 1123 Secured the special sea and anchor detail. On course 075°, 068° PSTGC speed 14.3 knots (120 RPMS). 1133 C/C to 055°, 051° PSTGC. 1138 C/C to 030°, 024° PSTGC, 1139 000 assumed the conn. 1147 C/C to 000°, 351° PSTGC.

J. J. Gupp, CWO, USN

12-16: 1208 C/C TO 340°. 1223 C/C TO 310°. 1240 SIGHTED NORTH CAPE LIGHT BEARING 256°, DISTANCE 4.5 MILES. 1250 C/C TO 258°. C/C TO 270°T. 1256 PASSED NORTH CAPE LIGHT ABEAM TO PORT, DISTANCE 3.5 MILES. 1301 C/C TO 245°, 1321 C/C TO 241°. 1431 C/C TO 239°. 1509 C/S TO 130 RPM (15.3 KNOTS) 1510 C/C TO 237°.

A. E. Swan, ENS, USCG

16-18 Underway as before. 1622 C/C to 245°. 1703 C/C to 243° 1727 C/C to 241° PGC 229° PSTGC, 1732 C/C to 240° PGC 228 PSTGC 1741 C/C to 238° PGC 227 PSTGC, 1744 C/C to 235° PGC 224 PSTGC 1749 C/C to 243° PGC 242 PSTGC, 1754 C/C 245° PGC 234 PSTGC 1757 C/C to 246° PGC 235° PSTGC, 1759 C/C to 247 PGC 236° PSTGC

J. J. Gupp CWO U.S.N.

18-20 Underway as before. 1810 C/C to 240°, 231° PSTGC. 1824 C/C to 255° 244° PSTGC. 1843 C/C to 260°, 250° PSTGC. 1902 C/C to 263° 253° PSTGC. 1943 C/C to 255°, 241° PSTGC, 1945 Set the special sea and anchor detail. 1947 Captain assumed the conn. 1954 C/C to 250°, 238° PSTGC.

J. J. Gupp, CWO, USN

20-24 Underway as before. 2006 C/C to 245°, 234° PSTGC. Passed Gunnet Rock abeam to starboard, distance approx. 1200 yards. Captain has the conn navigator on the bridge steering various courses and speeds to conform to Zuzuya Cove. 2016 Moored portside to south pier (5) U.S. Naval Station, Adak, Alaska with four (4) 1 3/4 inch spring lay mooring lines. 2032 Secured the special sea and anchor detail.

J. J. Gupp, CWO, USN

2024.

APPROVED: LT U. S. N. COMMANDING

EXAMINED: E. B. Mash LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE THURSDAY (Day) 15 (Date) MARCH (Month), 19 62

AT/~~PASSAGE FROM~~ ADAK, ALASKA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	160	10	1	L	29.83	40	39	10	350	ST			
02	130	10	1	L	29.80	39	38	10	350	ST			
03	135	10	1	L	29.77	40	39	10	350	ST			
04	125	7	2	R	29.74	41	40	10	350	ST			
05	125	9	2	R	29.79	41	40	10	350	ST			
06	110	20	2	R	29.78	41	40	10	350	ST			
07	075	15	2	OVC	29.66	41	40	10	350	ST			
08	090	12	1	R	29.63	41	40	10	350	ST			
09	085	6	1	R	29.60	42	41	10	350	ST			
10	100	6	1	R	29.54	43	42	10	350	ST			
11	115	5	1	R	29.51	43	42	10	350	ST			
12	115	18	1	R	29.46	42	41	10	350	ST			
13	100	19	2	L	29.43	42	41	10	350	ST			
14	100	19	1	L	29.46	43	41	10	700	SC			
15	100	23	1	OVC	29.42	43	41	10	700	SC	45	095	3
16	095	23	1	OVC	29.38	42	41	10	350	ST	41	095	4
17	100	32	3	F	29.40	42	41	10	350	ST	41	090	5
18	090	29	3	F	29.41	41	39	10	700	ST	41	095	5
19	095	18	1	F	29.45	40	39	10	350	ST	41	100	4
20	105	15	1	F	29.45	39	38	10	350	ST	41	100	3
21	090	17	2	OVC	29.46	39	38	10	350	ST	41	095	3
22	095	15	2	OVC	29.46	39	38	10	350	ST	41	095	3
23	100	16	3	OVC	29.46	38	37	10	350	ST	41	095	3
24	120	13	3	OVC	29.46	38	37	10	350	ST	41	120	3

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 109

FUEL CONSUMED 0000-2400: 1068

REMARKS

00-04 Moored port side to pier five (5) at U.S. Naval Station Adak Alaska with four (4) 1 3/4 inch spring lay lines plus one (1) eight inch manila forward and one (1) eight inch manila aft. Receiving miscellaneous services from the pier. Ships present include U.S.C.G.S. Aloyz (WAGL 292) plus various district craft. SOPA is Commanding Officer, U.S. Naval Station Adak Alaska.
J. J. Stipp, CWO, USN.

04-08 Moored as before. 0750 Mustered the crew at quarters for muster and inspection; absentees: none.
J. J. Stipp, CWO, USN.

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 15 (Date) MARCH (Month), 19 62

08-12 MOORED AS BEFORE. 0945 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

W. L. Swan, ENS, USNR

12-16 MOORED AS BEFORE. 1352 COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY. 1424 SET THE SPECIAL SEA AND ANCHOR DETAIL. 1427 MUSTERED THE CREW ON STATIONS; ABSENTEES NONE. 1452 UNDERWAY IN ACCORDANCE WITH ADAK SAR CASE 4-15, MARCH 1962, CAPTAIN HAS THE CONN, NAVIGATOR IS ON THE BRIDGE. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CLEAR ADAK HARBOR. 1500 STEADY ON COURSE 108°T, SPEED 14.3 KNOTS (120 RPM). 1504 C/C TO 065°T, C/S TO 13.3 KNOTS (110 RPM). 1515 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 1519 C/S TO 14.3 KNOTS (120 RPM). 1535 C/C TO 035°T.

W. L. Swan, ENS, USNR

16-18 UNDERWAY AS BEFORE. 1611 C/C TO 032°T. 1652 C/C TO 077°T. 1723 C/S TO 13.3 KNOTS (110 RPM). 1733 SECURED NUMBER TWO(2) MAIN GENERATOR.

J. E. Hoffey CWO U.S.N.

18-20 UNDERWAY AS BEFORE.

J. E. Hoffey, CWO, USN

20-24 UNDERWAY AS BEFORE. 2052 C/C TO 070°T. 2244 C/C TO 065°T. 2249 SIGHTED NORTH CAPE LIGHT BEARING 078°T. 2251 C/C TO 062°T. 2330 C/C TO 102°T. 2350 PASSED NORTH CAPE LIGHT ABEAM TO STARBOARD DISTANCE THREE(3) MILES. 2357 C/S TO 7.0 KNOTS (53 RPM)

J. E. Hoffey CWO U.S.N.

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Mauch LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE FRIDAY (Day) 16 (Date) MARCH (Month), 19 62

AT/PASSAGE FROM ADAK, ALASKA TO LOCAL SAR MISSION

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	135	17	3	OVC	29.45	38	37	10	350	ST	41	130	3
02	140	18	2	OVC	29.46	37	35	10	700	SC	41	135	3
03	145	20	2	OVC	29.46	37	35	10	700	SC	40	140	3
04	150	19	2	OVC	29.46	37	35	10	700	SC	40	145	3
05	105	16	2	OVC	29.46	36	34	10	700	SC	40	110	3
06	095	17	6	BKN	29.46	38	36	9	700	SC	40	090	3
07	110	14	6	BKN	29.44	36	34	9	700	SC	40	095	3
08	060	14	6	BKN	29.42	36	34	9	700	SC	40	055	3
09	045	13	5	BKN	29.40	37	35	9	700	SC	40	045	3
10	050	11	5	BKN	29.39	40	37	9	1050	AC	40	045	3
11	035	10	5	BKN	29.39	38	37	9	350	ST	40	035	3
12	320	14	5	BKN	29.37	38	35	9	1050	AC	40	015	3
13	055	14	1	OVC	29.38	37	35	10	700	SC	40	035	3
14	035	09	1	S	29.36	34	33	10	350	ST	40	040	4
15	035	16	1	S	29.40	33	32	10	350	ST	40	040	3
16	045	17	1	S	29.41	32	32	10	350	NS	49	040	3
17	035	14	2	S	29.47	30	29	10	350	NS	40	035	3
18	035	17	3	S	29.51	30	29	10	350	NS	49	035	3
19	040	15	2	S	29.53	30	29	10	350	NS	49	040	3
20	095	20	2	S	29.57	31	29	10	350	NS	49	095	3
21	110	14	2	S	29.66	30	29	10	350	ST	49	100	3
22	105	14	2	S	29.70	30	29	10	350	NS	49	100	3
23	100	20	2	S	29.73	30	29	10	350	NS	49	110	3
24	120	14	4	OVC	29.79	29	29	10	350	NS	49	120	3

POSITION	ZONE	TIME
0800 L	59-35.5N	BY 3
λ	173-49.5W	BY 3
1200 L	59-38.5N	BY 3
λ	179-37W	BY 3
2000 L	59-36N	BY 4
λ	174-41.1W	BY 4

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 179

FUEL CONSUMED 0000-2400: 1196

REMARKS

00-04 UNDERWAY INDEPENDENTLY ENROUTE FROM ADAK ALASKA FOR LOCAL SAR MISSION IN ACCORDANCE WITH ADAK SAR CASE 4-15 MARCH 1962 ON COURSE 102°T, SPEED 7.0 KNOTS (53 RPM). NUMBERS ONE, THREE AND FOUR MAIN GENERATORS IN THE PROPULSION LOOP AND NUMBER ONE AUXILIARY GENERATOR FOR SHIPS POWER AND EXCITATION. CONDITION OF READINESS THREE AND MATERIAL CONDITION YOKESET. 0107 C/C TO 106°T. 0330 C/C TO 066°T.

J.E. Kaffey CWO U.S.N.

04-08 UNDERWAY AS BEFORE. 0624 C/S TO 9.5 KNOTS (75 RPM). 0657 C/C TO 067°T. 0740 C/C TO 055°T, C/S TO 14.3 KNOTS (120 RPM). 0750 MUSTERED THE CREW ON STATIONS; ABSENTEES NONE. 0755 C/C TO 050°T.

E.B. Masch LTJG USNR

APPROVED: _____ CT, U.S.N. COMMANDING

EXAMINED: E.B. Masch LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF96) FRIDAY (Day) 16 (Date) MARCH (Month) 19 62

08-12: UNDERWAY AS BEFORE. 0804 C/S TO 110 RPM (13.3 KNOTS). 0825 C/C TO 140°. 0834 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. 0846 DELORME, BMI ASSUMED THE CONN. 0847 C/C TO 250°. 0935 C/C TO 320°. 0952 C/S TO 120 RPM (14.3 KNOTS) 1025 C/C TO 050°. 1124 C/C TO 070° 1140 C/C TO 140°. 1147 MANN, BMI ASSUMED THE CONN.

H. L. Swan, ENS, USNR

12-16 UNDERWAY AS BEFORE, 1205 C/C TO 180° T. 1215 C/C TO 300° T. 1342 C/C TO 292° T. 1434 C/C TO 243° T, 1507° C/S TO 9.5 KNOTS (75 RPM). 1510 SECURED FROM SAR CASE ADAK 4-15, RESULTS NEGATIVE.

E B Masch LTJG USNR

16-18 Underway as before.

J. J. Hupp, CWO, USN.

18-20 Underway as before. 1855 Observed sunset.

J. J. Hupp CWO U.S.N.

20-24: UNDERWAY AS BEFORE. 2205 C/C TO 257°

H. L. Swan, ENS, USNR.

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE SATURDAY (Day) 17 (Date) MARCH (Month), 19 68

AT/PASSAGE FROM LOCAL SAR MISSION TO ADAK, ALASKA

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	095	9	3	OVC	29.52	35	33	10	700	SC	49	040	3
02	090	7	4	BKN	29.54	35	34	9	700	SC	49	080	3
03	080	4	4	BKN	29.56	30	29	9	700	SC	49	090	2
04	085	5	4	BKN	29.57	30	29	9	1200	CU	49	090	2
05	090	4	4	BKN	29.58	30	29	6	3000	CU	49	090	1
06	060	4	4	BKN	29.58	30	29	8	3000	CU	49	045	1
07	095	4	5	BKN	29.56	30	29	8	3000	CU			
08	130	6	5	BKN	29.50	30	30	10	2500	AC			
09	095	5	7	OVC	29.50	31	31	10	2500	AC			
10	090	7	10	OVC	29.49	32	32	10	3000	AC			
11	120	5	6	OVC	29.47	32	32	10	3000	AC			
12	110	8	4	OVC	29.49	32	32	10	3000	AC			
13	110	9	4	OVC	29.50	32	32	10	3000	AC			
14	110	7	4	BKN	29.48	34	34	10	3500	AC			
15	105	6	4	BKN	29.46	34	34	10	3500	AC			
16	100	4	4	OVC	29.43	34	34	10	3500	AC			
17	090	5	4	OVC	29.43	34	33	10	3500	AC			
18	090	5	2	S	29.43	34	32	10	2000	CU			
19	090	5	2	S	29.43	34	31	10	2200	CU			
20	085	6	4	OVC	29.41	34	31	10	1500	SC			
21	080	5	2	S	29.41	33	31	10	1500	SC			
22	095	5	2	S	29.41	34	32	10	1200	SC			
23	095	7	2	S	29.41	34	32	10	1200	SC			
24	095	3	1	S	29.43	34	33	10	1200	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 35

FUEL CONSUMED 0000-2400: 635

REMARKS

00-04 Underway independently enroute from local SAR mission by verbal order to Adak, Alaska on course 257°, 248° PSTGC speed 9.5 knots (75 RPMS). Number #2, 3 and 4 main engines are in the propulsion loop. Number #1 auxiliary generator on for ships power and refrigeration. 0102 Sighted Swallow Head light bearing 243°, distance approximately 13 1/4 miles. 0122 C/C to 252° 243° PSTGC. 0148 C/S to 7.5 knots (58 RPMS). 0234 Passed Swallow Head light abeam to port, distance approx. 3 miles. C/C to 210°, 200° PSTGC. 0311 C/C to 213°, 202° PSTGC. 0344 C/C to 210°, 198° PSTGC.

J. G. Hipps, CWO, USN.

04-08 UNDERWAY AS BEFORE. 0427 C/S TO 5.2 KNOTS (40 RPM). 0435 C/S TO 3.3 KNOTS (25 RPM). 0513 C/C TO 160°T. 0558 C/C TO 248°T. 0602 C/S TO 6.7 KNOTS (50 RPM). 0615 SET SPECIAL SEA AND ANCHOR DETAIL. 0618 C/S TO 12.3 KNOTS (100 RPM). 0628 C/C TO 250°T. 0630 C/S TO 14.3 KNOTS (120 RPM). 0640 C/S TO 12.3 KNOTS (100 RPM). 0645 C/C TO 260°T. 0646 PASSED ADAK, ALASKA BREAKWATER ABEAM TO STARBOARD, APPROXIMATELY 100 YARDS,

APPROVED: L. T. U. S. N. COMMANDING

EXAMINED: E. B. March LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 17 (Date) MARCH (Month), 19 62

04-08 (CONT) COMMENCED MAKING VARIOUS COURSE AND SPEED CHANGES NECESSARY TO MAKE BERTH. 0658 MOORED STARBOARD SIDE TO PIER FIVE (5) U.S. NAVAL STATION, ADAK, ALASKA WITH FOUR (4) SPRINGLAY 1 3/4" LINES. 0707 SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

E.B. Masch LTJG USNR

08-12 MOORED AS BEFORE. 0800 MUSTERED THE CREW ON STATION, ABSENTEES NONE. 0830 MADE DAILY INSPECTION OF MAGAZINE TEMPERATURES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL.

E.B. Masch LTJG USNR

12-16 MOORED AS BEFORE.

E.B. Masch LTJG USNR

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

E.B. Masch LTJG USNR

20-24 MOORED AS BEFORE.

E.B. Masch LTJG USNR

APPROVED: _____ LT, U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE SUNDAY (Day) 18 (Date) MARCH (Month), 19 69

AT/PASSAGE FROM ADAK, ALASKA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	070	2	1	OVC	29.72	35	34	10	1000	SC			
02	095	2	1	R	29.72	36	35	10	1000	ST			
03	150	3	1	R	29.71	37	36	10	1000	ST			
04	195	2	1	R	29.69	37	36	10	1000	ST			
05	185	1	1	OVC	29.69	37	36	10	1000	SC			
06	190	1	1	R	29.70	38	36	10	1000	ST			
07	195	5	1	OVC	29.70	38	36	10	1000	SC			
08	195	8	3	R	29.72	38	36	10	1000	NS			
09	210	5	2	R	29.72	38	36	10	1000	NS			
10	215	3	3	OVC	29.70	39	37	9	1000	SC			
11	170	4	4	OVC	29.70	40	38	9	1000	SC			
12	170	4	7	BKN	29.69	42	40	7	1500	CU			
13	160	3	7	BKN	29.69	44	42	7	1800	CU			
14	140	3	7	BKN	29.68	44	43	7	1500	CU			
15	150	3	7	BKN	29.66	43	43	7	3000	AC			
16	170	4	7	BKN	29.65	40	38	7	3000	AC			
17	170	3	7	BKN	29.68	39	38	7	3000	AC			
18	170	3	7	BKN	29.68	39	38	7	1800	CU			
19	170	3	8	OVC	29.68	39	38	10	1500	CU			
20	050	3	1	R	29.56	38	37	10	1000	NS			
21	050	5	1	R	29.58	38	37	10	1000	NS			
22	050	5	1	R	29.48	38	37	10	1000	NS			
23	075	5	1	R	29.44	38	37	10	1000	NS			
24	050	5	1	R	29.43	38	37	10	1000	NS			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 492

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER FIVE (5) U.S. NAVAL STATION ADAK ALASKA WITH FOUR (4) 1¾" SPRINGLAY LINES PLUS ONE (1) EIGHT (8) INCH MANILA LINE FORWARD AND ONE (1) EIGHT (8) INCH MANILA LINE AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE USCGS CLOVER (WAGL-292) PLUS VARIOUS DISTRICT CRAFT. SOPA IS COMMANDING OFFICER U.S. NAVAL STATION ADAK, ALASKA.

E.B. Masch LTJG USNR

04-08 MOORED AS BEFORE.

E.B. Masch LTJG USNR

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF96) SUNDAY (Day) 18 (Date) MARCH (Month), 19 42

08-12 Moored as before. 0800 Mustered the crew on station. absentees: none. 1100 Made daily inspection of magazines and smokeless powder samples. Conditions; normal.

J. J. Tripp, CWO, USN.

12-16 Moored as before.

J. J. Tripp, CWO, USN.

16-20 Moored as before. 1800 Set material condition "Z" on the second deck and below.

J. J. Tripp, CWO, USN.

20-24 Moored as before.

J. J. Tripp, CWO, USN.

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: EB Musch LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE MONDAY (Day) 19 (Date) MARCH (Month), 19 62

AT/~~PASSAGE FROM~~ ADAK, ALASKA. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	070	7	1	R	29.49	38	37	10	350	ST			
02	010	15	1	R	29.37	36	36	10	350	ST			
03	030	10	1	R	29.35	36	36	10	350	ST			
04	080	10	1	R	29.33	36	36	10	350	ST			
05	095	10	1	L	29.32	36	36	10	350	ST			
06	080	10	1	L	29.33	36	36	10	350	ST			
07	350	5	1	L	29.38	37	37	10	350	ST			
08	295	8	1	L	29.39	36	35	10	350	ST			
09	250	8	1	OVC	29.41	36	35	10	350	ST			
10	270	20	1	OVC	29.43	36	35	10	350	ST			
11	295	25	3	OVC	29.45	38	36	10	700	SC			
12	320	36	3	BKN	29.49	40	36	10	1000	CU			
13	305	30	3	OVC	29.53	41	38	10	1200	CU			
14	270	22	3	OVC	29.56	40	36	10	1400	CU			
15	290	22	3	BKN	29.59	40	36	7	1400	CU			
16	285	25	3	BKN	29.63	40	36	8	1400	CU			
17	285	24	3	BKN	29.66	39	36	8	1050	CU			
18	255	20	3	L	29.69	38	35	9	1050	CU			
19	290	20	3	BKN	29.71	36	35	8	350	ST			
20	290	5	2	BKN	29.76	36	35	8	350	ST			
21	280	10	2	BKN	29.78	36	34	8	350	ST			
22	270	5	2	BKN	29.82	37	36	8	350	ST			
23	270	8	2	BKN	29.84	36	34	8	700	SC			
24	275	10	2	BKN	29.85	36	34	8	700	SC			

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 536

REMARKS

00-04 Moored Starboard side to pier five (5) at U.S. Naval Station, Adak, Alaska with four (4) 1 3/4 inch spring lay lines, plus one (1) eight inch manila line forward and one (1) eight inch manila line aft. Receiving miscellaneous services from the pier. Ships present include U.S.C.G.C. Clover (WAGL 292), plus various diesel craft. SOPA is Commanding Officer, U.S. Naval Station, Adak, Alaska.

J. F. Stipp, CWO, USN.

04-08 Moored as before. 0750 Mustered the crew at quarters (foul weather parade) for muster and inspection; absentees; none.

J. F. Stipp, CWO, USN.

APPROVED: _____ LT, U. S. N. COMMANDING

EXAMINED: E. B. Mauch LT.JG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 19 (Date) MARCH (Month), 19 62

08-12: MOORED AS BEFORE. 0814 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

H. E. Swoon, ENS, USNR

12-16: MOORED AS BEFORE. 1303 USCGS CLOVER (WAGL-297) STOOD OUT OF HARBOR.

H. E. Swoon, ENS, USNR.

16-20: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE. 1906 USCGS CLOVER (WAGL-297) STOOD INTO THE HARBOR.

H. E. Swoon, ENS, USNR.

20-24: MOORED AS BEFORE.

H. E. Swoon, ENS, USNR.

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE TUESDAY (Day) 20 (Date) MARCH (Month), 1962

AT/~~PASSAGE FROM~~ ADAK, ALASKA. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	270	8	2	BKN	29.98	36	34	8	700	CU			
02	280	5	2	BKN	29.91	35	33	5	700	CU			
03	275	8	2	BKN	29.93	35	33	8	700	CU			
04	260	5	3	BKN	29.96	35	33	7	1050	SC			
05	265	7	3	BKN	29.96	35	33	7	1050	SC			
06	275	7	4	BKN	29.93	35	33	6	1050	SC			
07	265	7	7	SCT	29.96	35	33	4	2000	AC			
08	265	5	7	SCT	29.99	36	35	4	2000	AC			
09	250	5	7	SCT	29.99	36	35	4	2000	AC			
10	240	4	7	SCT	29.99	38	36	3	2000	AC			
11	235	3	7	SCT	29.99	38	36	3	2000	AC			
12	220	5	7	SCT	30.00	40	37	3	2000	AC			
13	210	10	7	SCT	30.01	40	38	4	2000	AC			
14	195	5	6	BKN	30.01	40	37	7	2000	AC			
15	175	5	5	BKN	30.00	39	38	8	700	CU			
16	165	7	3	OVC	30.00	39	38	10	350	ST			
17	150	12	3	OVC	29.96	39	37	10	700	CU			
18	145	15	3	OVC	29.94	39	38	10	700	CU			
19	130	16	3	R	29.96	38	37	10	350	ST			
20	130	18	3	R	29.98	38	37	10	350	ST			
21	140	30	3	OVC	29.89	38	37	10	350	ST			
22	150	30	3	OVC	29.86	37	35	10	350	ST			
23	160	28	1	R	29.81	37	36	10	350	ST			
24	150	30	1	R	29.77	36	36	10	350	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 553

REMARKS

00-04: MOORED STARBOARD SIDE TO PIER FIVE(5) AT U.S. NAVAL STATION, ADAK, ALASKA WITH FOUR(4) 1 3/4 INCH SPRING LAY LINES PLUS ONE(1) 8 INCH MANILA LINE FOREWARD AND ONE(1) 8 INCH MANILA LINE AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE USCGS CLOVER (WAGL-292) AND VARIOUS DISTRICT CRAFT. SOPA IS COMMANDING OFFICER, U.S. NAVAL BASE, ADAK, ALASKA.

H. E. Swoom, ENS, USNR

04-08: MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE.

H. E. Swoom, ENS, USNR

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: E. B. Marsh LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 20 (Date) MARCH (Month), 19 62

08-12. Moored as before. 0814. Made daily inspection of magazine and smokeless power samples, Conditions normal.

J.E. Hoffey CWO U.S.N.

12-16. Moored as before. USCGC Clover (WAGL-292) stood out of the harbor.

J.E. Hoffey CWO U.S.N.

16-20. Moored as before. 1800 Set material Condition Yoke. 1906 USCGC Clover (WAGL-292) standing in the harbor.

J.E. Hoffey CWO U.S.N.

20-24. Moored as before.

J.E. Hoffey CWO U.S.N.

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Mash LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE WEDNESDAY 21. MARCH 19 62
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ ADAK. ALASKA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	160	06	1	R	29.73	35	35	10	350	ST			
02	160	08	1	R	29.70	35	35	10	350	ST			
03	160	15	1	R	29.68	36	36	10	350	ST			
04	165	20	1	R	29.65	36	36	10	350	ST			
05	165	15	1	R	29.64	36	35	10	350	ST			
06	165	10	1	R	29.62	38	37	10	350	ST			
07	170	10	3	L	29.60	38	37	10	350	ST			
08	160	3	2	R	29.53	38	37	10	350	ST			
09	175	5	3	BKN	29.51	38	37	8	350	ST			
10	160	8	2	OVC	29.50	39	38	10	350	ST			
11	155	9	3	BKN	29.48	41	38	7	1050	SC			
12	150	8	3	OVC	29.47	41	38	10	1050	SC			
13	175	9	3	BKN	29.43	41	38	8	1050	SC			
14	195	10	3	BKN	29.38	43	37	8	1750	AC			
15	220	13	3	BKN	29.34	43	38	8	1450	SC			
16	175	10	3	BKN	29.34	40	37	9	1050	SC			
17	175	10	2	R	29.30	40	37	9	1050	SC			
18	175	12	1	R	29.28	39	37	9	700	CU			
19	185	8	1	R	29.26	39	37	9	700	CU			
20	190	8	1	R	29.25	39	37	9	700	CU			
21	170	10	1	R	29.25	36	35	9	350	ST			
22	165	10	1	R	29.25	36	35	9	350	ST			
23	180	10	1	R	29.25	37	35	9	350	ST			
24	185	14	1	R	29.28	37	35	10	700	CU			

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400: 1

FUEL CONSUMED 0000-2400: 418

REMARKS

00-04. Moored starboard side to pier five (5) at U.S. Naval Station Adak, Alaska with four (4) 1 3/4 inch springlay lines, plus one (1) eight inch manila line forward and one (1) eight inch manila aft. Receiving miscellaneous services from the pier. Ship present includes U.S.C.G. Clover (WAGL-292) plus various district craft. A.O.D.A. is Commanding Officer. U.S. Naval Station, Adak Alaska.

J. E. Stoffy CWO U.S.N.

04-08. Moored as before. 0750 Mustered the Crew at quarters for muster and inspection, Absentees none

J. E. Stoffy CWO U.S.N.

APPROVED: _____ LT, U. S. N. COMMANDING

EXAMINED: E.B. Marsh LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 21 (Date) MARCH (Month), 19 62

08-12 MOORED AS BEFORE. 0816 MADE ~~PAR~~ SBM DAILY INSPECTION OF MAGAZINE TEMPERATURES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL.

E.B. Masch LTJG USNR

12-16 MOORED AS BEFORE. 1245 SET SPECIAL SEA AND ANCHOR DETAIL. 1300 UNDERWAY IN ACCORDANCE WITH COMNAVSTA ADAK VERBAL ORDERS TO SHIFT BERTH TO OTHER SIDE OF PIER FIVE(5), OPERATIONS OFFICER HAS THE CONN, CAPTAIN IS ON THE BRIDGE. MAKING VARIOUS COURSE AND SPEED CHANGES NECESSARY TO SHIFT BERTHS. 1318 MOORED PORT SIDE TO PIER FIVE (5) U.S. NAVAL STATION ADAK ALASKA WITH FOUR(4) 1 3/4" SPRINGLAY LINES. 1327 SECURED SPECIAL SEA AND ANCHOR DETAIL.

E.B. Masch LTJG USNR

16-20 MOORED AS BEFORE, 1600 SET MATERIAL CONDITION YOKE.

E.B. Masch LTJG USNR

20-24 MOORED AS BEFORE.

E.B. Masch LTJG USNR

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE THURSDAY (Day) 22 (Date) MARCH (Month), 19 62

AT/~~PASSAGE FROM~~ ADAK ALASKA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	155	16	1	S	29.99	37	35	10	700	CU			
02	155	20	1	R	29.99	37	35	10	700	CU			
03	150	19	2	L	29.90	37	35	10	700	CU			
04	155	18	2	L	29.99	37	35	10	700	CU			
05	190	18	2	R	29.99	37	35	10	700	CU			
06	180	21	2	R	29.99	36	35	10	350	ST			
07	155	16	2	R	29.99	36	35	10	350	ST			
08	200	20	2	R	29.19	36	35	10	350	ST			
09	200	15	2	BKN	29.13	37	36	7	350	ST			
10	205	16	2	R	29.15	37	36	10	350	ST			
11	205	15	2	R	29.18	37	36	10	350	ST			
12	225	15	1	R	29.28	37	37	10	0	NS			
13	240	15	3	L	29.31	39	38	10	350	ST			
14	265	20	3	L	29.33	42	41	10	350	ST			
15	280	20	2	L	29.42	42	41	10	350	ST			
16	320	5	2	L	29.49	44	41	10	1050	AC			
17	355	5	1	L	29.51	42	40	10	700	CU			
18	350	4	2	L	29.60	41	40	10	350	ST			
19	340	10	2	L	29.63	41	40	10	350	ST			
20	320	10	3	OVC	29.70	40	39	10	350	ST			
21	300	13	4	OVC	29.73	40	39	10	350	ST			
22	300	18	4	OVC	29.76	40	39	10	350	ST			
23	280	16	4	OVC	29.82	39	38	10	350	ST			
24	300	9	4	OVC	29.83	39	38	10	350	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 465

REMARKS

00-04 MOORED PORT SIDE TO PIER FIVE (5) U.S. NAVAL STATION ADAK ALASKA WITH FOUR (4) 1 3/4" SPRING-LAY LINES PLUS ONE(1) EIGHT (8) INCH MANILA LINE FORWARD AND ONE(1) EIGHT(8) INCH MANILA LINE AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE USCGS CLOVER (WAGL-392) PLUS VARIOUS DISTRICT CRAFT. SOPA IS COMMANDING OFFICER U.S. NAVAL STATION ADAK, ALASKA.

E B Marsh LTJG USNR

04-08 MOORED AS BEFORE. 0750 HELD QUARTERS FOR MUSTER AND INSPECTION, ABSENTEES NONE.

E. B. Marsh LTJG USNR

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: E. B. Marsh LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) THURSDAY (Day) 22 (Date) MARCH (Month), 19 62

08-12 Moored as before. 0830 Made daily inspection of magazines and smokeless powder dumpless condulets. Normal. 0831 Commenced fueling ship. Draft forward 16'6" aft 13'0". 0928 Secured from taking on fuel. Draft forward 13'4" aft 16'6". Received 24,125 gallons distillate.

J. J. Stipp, CWO, USN.

12-16 Moored as before.

J. J. Stipp, CWO, USN.

16-20 Moored as before. 1800 Set material condition second deck and below.

J. J. Stipp, CWO, USN

20-24 Moored as before.

J. J. Stipp, CWO, USN.

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: E B Masch LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION +11 DATE FRIDAY (Day) 23 (Date) MARCH (Month), 19 62

AT/~~PASSAGE FROM~~ ADAK, ALASKA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	300	15	5	OVC	29.98	37	37	10	350	ST			
02	280	10	5	OVC	29.85	36	36	10	350	ST			
03	310	12	5	OVC	29.85	37	36	10	350	ST			
04	310	12	5	OVC	29.85	37	36	10	350	ST			
05	300	10	5	OVC	29.90	37	36	10	350	ST			
06	300	9	5	OVC	29.99	37	36	10	350	ST			
07	290	10	5	BKN	29.99	37	36	9	350	ST			
08	275	5	4	BKN	29.96	37	35	6	700	CU			
09	265	5	4	BKN	29.98	40	38	6	1050	AC			
10	245	8	4	BKN	29.99	39	37	6	700	CU			
11	235	5	4	BKN	30.00	40	37	7	1050	AC			
12	230	7	5	BKN	30.01	42	39	8	1050	AC			
13	205	8	5	BKN	30.01	40	37	4	1050	AC			
14	190	5	5	SCT	30.01	45	40	7	2100	AC			
15	195	4	5	BKN	30.01	48	43	9	2100	AC			
16	170	6	5	BKN	30.02	48	43	9	1750	AC			
17	165	6	5	OVC	30.02	44	41	9	1400	AC			
18	140	9	5	OVC	30.03	41	38	9	1050	AC			
19	130	9	4	OVC	30.04	40	38	8	700	CU			
20	095	3	3	BKN	30.04	38	36	8	700	CU			
21	075	4	3	BKN	30.04	37	36	8	350	ST			
22	065	5	3	BKN	30.04	37	35	8	700	CU			
23	085	3	3	BKN	30.04	36	34	8	700	CU			
24	080	4	3	BKN	30.03	36	34	8	700	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 449

REMARKS

00-04 Moored starboard side to pier five (5) at U.S. Naval Station Adak, Alaska with four (4) 1 3/4 inch spring lay lines, plus one (1) eight inch manila line forward and one (1) eight inch manila line aft. Receiving miscellaneous services from the pier. Ships present include U.S.C.G.S. Clover (WAGL 292), plus various district craft. SOPA is Commanding Officer, U.S. Naval Station, Adak, Alaska.

J.J. Stipp, CWO, USN.

04-08 Moored as before. 0750 Mustered the crew at quarters for muster and inspection; absentees; none.

J.J. Stipp, CWO, USN.

APPROVED: LT, U.S.N. COMMANDING

EXAMINED: E.B. Musch LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 23 (Date) MARCH (Month), 19 62

08-12: MOORED AS BEFORE. 0913 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. 1005 MADE WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM; TEST SATISFACTORY.

[signature], ENS, USNR.

12-16: MOORED AS BEFORE.

[signature], ENS, USNR

16-20: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

[signature], ENS, USNR

20-24: MOORED AS BEFORE.

[signature] ENS, USNR.

APPROVED:

[signature] LT, U. S. N. COMMANDING

EXAMINED:

E. B. Masch LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE SATURDAY (Day) 24 (Date) MARCH (Month), 1962

AT ~~PASSAGE FROM~~ ADAK, ALASKA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	090	4	5	BKN	30.01	36	34	8	700	CU			
02	090	3	5	BKN	30.01	36	34	8	700	CU			
03	075	5	5	BKN	29.97	36	34	8	700	CU			
04	080	6	4	BKN	29.97	36	34	8	700	CU			
05	095	7	4	BKN	29.97	36	34	8	700	CU			
06	110	5	4	BKN	29.96	36	34	8	700	CU			
07	135	8	5	BKN	29.95	37	34	8	1050	AC			
08	135	8	6	BKN	29.93	38	35	8	1050	AC			
09	130	15	7	BKN	29.91	39	36	9	1050	AC			
10	160	8	7	OVC	29.89	39	37	6	700	CU			
11	155	10	5	BKN	29.87	39	37	9	1050	AC			
12	165	18	2	OVC	29.87	37	36	10	350	ST			
13	160	20	2	L	29.86	37	36	10	350	ST			
14	160	23	2	L	29.80	37	36	10	350	ST			
15	165	25	2	L	29.75	36	35	10	700	CU			
16	165	20	1	L	29.66	40	40	10	0	NS			
17	165	21	1	L	29.63	40	39	10	350	ST			
18	155	8	1	L	29.63	40	39	10	350	ST			
19	165	5	1	L	29.63	40	39	10	350	ST			
20	160	5	1	L	29.60	40	39	10	350	ST			
21	160	10	1	R	29.55	40	39	10	350	ST			
22	170	9	1	R	29.53	40	38	10	700	CU			
23	175	7	1	L	29.53	39	39	10	0	NS			
24	180	6	1	L	29.51	40	40	10	0	NS			

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 625

REMARKS

00-04: MOORED PORT SIDE TO PIER FIVE (5) AT U.S. NAVAL STATION, ADAK, ALASKA WITH FOUR (4) 1¾ INCH SPRING LAY LINES PLUS ONE (1) 8 INCH MANILA LINE FOREWARD AND ONE (1) ~~4~~ 8 INCH MANILA LINE AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE USCGS CLOVER (WAGL-292) AND VARIOUS DISTRICT CRAFT. SOPA IS COMMANDING OFFICER, U.S. NAVAL STATION, ADAK ALASKA.

H. L. [illegible], ENS. USNR

04-08: MOORED AS BEFORE. 0755 MUSTERED THE CREW ON STATIONS; ABSENTEES NONE.

H. L. [illegible], ENS. USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Marsh LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 24 (Date) MARCH (Month), 19 62

08-12. Moored as before. 0800 Mustered the crew on Stations Absentees, none. 0842 Made daily inspection of magazine and smokeless power samples. Conditions normal. 1030. Commenced Commanding Officers material inspection of Zone 1 thru 5. 1140 Secured from material inspection

J.E. Hoffey CWO USN

12-16. Moored as before

J.E. Hoffey CWO USN

16-20 Moored as before. 1800 Set material condition Yoke second deck and below.

J.E. Hoffey CWO USN.

20-24. Moored as before

J.E. Hoffey CWO USN.

APPROVED:

[signature] LT, U. S. N. COMMANDING

EXAMINED:

E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE SUNDAY (Day) 25 (Date) MARCH (Month), 1962

AT/~~PASSAGE FROM~~ ADAK, ALASKA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	170	10	1	OVC	29.39	40	40	10	0	ST			
02	180	9	2	OVC	29.37	43	42	10	350	ST			
03	200	4	2	L	29.35	43	42	10	350	ST			
04	200	5	4	OVC	29.33	43	42	10	350	ST			
05	200	5	4	OVC	29.30	42	41	10	350	ST			
06	200	2	4	OVC	29.27	41	40	10	350	ST			
07	200	2	4	OVC	29.25	41	40	10	350	ST			
08	205	6	4	OVC	29.22	41	40	10	350	ST			
09	185	6	2	R	29.20	41	40	10	350	NS			
10	180	3	2	R	29.13	41	40	10	350	NS			
11	165	5	1	R	29.01	41	40	10	350	NS			
12	170	6	1	R	28.86	41	40	10	350	NS			
13	145	14	1	R	28.76	41	40	10	350	NS			
14	180	12	1	R	28.68	42	41	10	350	NS			
15	160	15	1	R	28.60	44	43	10	350	NS			
16	190	22	1	R	28.54	42	41	10	350	NS			
17	190	18	1	L	28.49	42	41	10	350	NS			
18	195	15	1	L	28.43	42	41	10	350	NS			
19	200	14	1	L	28.42	41	40	10	350	NS			
20	225	23	1	L	28.43	41	40	10	350	NS			
21	240	30	1	L	28.60	40	39	10	350	NS			
22	275	35	1	L	28.72	40	39	10	350	NS			
23	305	35	1	L	28.82	35	34	10	350	NS			
24	345	36	1	L	28.91	35	34	10	350	NS			

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 457

REMARKS

00-04. Moored Port side to pier four (5) at U. S. Naval Station Adak, Alaska with four (4) 1 3/4" spring lay lines plus one (1) 8 inch Manila Line forward and one (1) 8 inch manila aft. Receiving miscellaneous service from the pier. Ships present include U. S. C. G. S. Clover (WAGL-292) and various district craft. SOPA is commanding Officer, U. S. Naval Station, Adak, Alaska.

J. C. Hoffey CWO U.S.N.

04-08. Moored as before.

J. C. Hoffey CWO U.S.N.

APPROVED: _____ LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 25 (Date) MARCH (Month), 19 62

08-12 MOORED AS BEFORE. 0800 MUSTERED THE DUTY SECTION ON STATION, ABSENTEES NONE. 0930 MADE DAILY INSPECTION OF MAGAZINE TEMPERATURES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL.

E. B. Masch LTJG USNR

12-16 MOORED AS BEFORE.

E.B. Masch LTJG USNR

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

E.B. Masch LTJG USNR

20-24 MOORED AS BEFORE.

E.B Masch LTJG USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E.B. Masch LT JG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE MONDAY (Day) 26 (Date) MARCH (Month), 1962

AT/~~PASSAGE FROM~~ ADAK, ALASKA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	310	36	1	L	29.05	36	33	10	1050	AC			
02	295	30	1	L	29.99	36	33	10	1050	AC			
03	270	36	1	R	29.05	34	32	10	700	CU			
04	280	20	1	S	29.07	35	33	10	700	CU			
05	280	20	1	S	29.08	35	33	10	700	CU			
06	280	20	1	L	29.11	35	32	10	1050	AC			
07	285	20	1	BKN	29.13	35	32	8	1050	AC			
08	240	22	2	BKN	29.13	36	32	8	1400	AC			
09	240	20	2	S	29.15	36	34	10	700	SC			
10	250	25	2	BKN	29.16	37	34	8	1050	AC			
11	250	22	2	S	29.17	37	34	10	1050	SC			
12	250	20	1	S	29.18	39	35	10	1400	AC			
13	270	25	2	L	29.29	38	34	10	1400	AC			
14	230	30	2	S	29.32	38	34	10	1400	AC			
15	285	30	1	S	29.35	39	34	10	1400	AC			
16	270	22	2	S	29.36	32	32	10	0	ST			
17	300	24	1	S	29.36	34	34	10	0	ST			
18	290	32	1	S	29.39	32	32	10	0	ST			
19	310	30	1	OVC	29.40	33	30	10	1050	AC			
20	290	30	2	OVC	29.39	33	30	10	1050	AC			
21	270	35	1	OVC	29.40	33	30	10	1050	AC			
22	320	30	1	L	29.48	33	30	10	1050	AC			
23	320	30	1	L	29.48	33	30	10	1050	AC			
24	310	29	1	OVC	29.49	31	30	10	350	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 654

REMARKS

00-04 MOORED PORT SIDE TO PIER FIVE (5) U.S. NAVAL STATION ADAK ALASKA WITH FOUR (4) 1¾" SPRINGLAY LINES PLUS ONE (1) EIGHT (8) INCH MANILA LINE FORWARD AND ONE (1) EIGHT (8) INCH MANILA LINE AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE USCGS CLOVER (WAGL-292) PLUS VARIOUS DISTRICT CRAFT. SOPA IS COMMANDING OFFICER U.S. NAVAL STATION ADAK, ALASKA.

E.B. Mash LTJG USNR

04-08 MOORED AS BEFORE. 0750 HELD QUARTERS FOR MUSTER AND INSPECTION, FOUL WEATHER PARADE, ABSENTEES NONE.

E.B. Mash LTJG USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E.B. Mash LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 26 (Date) MARCH (Month), 19 62

0B-12 Moored as before. 0815 Made daily inspection of magazines and smokeless powder samples; conditions normal.

J. J. Stipp, CWO, USN.

12-16 Moored as before.

J. J. Stipp, CWO, USN

16-20 Moored as before. 1800 Set material condition "Yoke" second deck and below.

J. J. Stipp, CWO, USN

20-24 Moored as before.

J. J. Stipp, CWO, USN.

APPROVED:

[signature] LT, U. S. N. COMMANDING

EXAMINED:

E. B. Masch LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION +11 DATE TUESDAY 27 MARCH, 1962
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ ADAK, ALASKA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	330	25	1	S	29.59	31	31	5	350	ST			
02	320	30	2	SCT	29.55	32	31	4	350	ST			
03	300	25	2	S	29.59	32	31	5	350	ST			
04	320	30	2	OVC	29.64	32	31	10	350	ST			
05	330	30	3	OVC	29.65	32	31	10	350	ST			
06	340	30	3	BKN	29.69	32	31	7	350	ST			
07	320	15	3	BKN	29.70	32	32	7	0	ST			
08	300	22	4	OVC	29.71	34	32	10	700	CU			
09	310	24	3	BKN	29.74	33	32	9	350	ST			
10	310	17	3	SCT	29.76	34	32	10	700	SC			
11	300	12	4	BKN	29.79	37	36	8	350	ST			
12	270	16	4	BKN	29.80	40	35	6	1750	AC			
13	275	14	4	BKN	29.80	39	35	7	1400	AC			
14	280	12	4	BKN	29.81	43	42	7	350	ST			
15	285	13	4	BKN	29.78	36	33	9	1050	AC			
16	265	8	4	BKN	29.80	34	32	9	700	CU			
17	245	9	2	S	29.77	35	32	10	1050	AC			
18	290	9	2	OVC	29.78	34	31	10	1050	AC			
19	285	10	3	OVC	29.77	35	33	10	700	CU			
20	275	8	1	OVC	29.78	33	31	10	700	CU			
21	275	5	1	OVC	29.77	33	31	10	700	CU			
22	290	5	1	OVC	29.77	33	31	10	700	CU			
23	290	4	1	OVC	29.76	33	31	10	700	SC			
24	0	0	1	OVC	29.74	33	32	10	350	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 752

REMARKS

00-04 Moored portside to pier five (5) at U.S. Naval Station, Adak, Alaska with four (4) 1 3/4 inch spring lay mooring lines, plus one (1) eight inch manila line forward and one eight inch manila line aft. Receiving miscellaneous services from the pier. Ships present include USCGC Clover (WAGL) 292, plus various district craft. SOPA is Commanding Officer, U.S. Naval Station, Adak, Alaska.

J. J. Tipps, CWO, USN

04-08 Moored as before. 0750 Mustered the crew at quarters (full weather parade) for muster and inspection; absentees; none.

J. J. Tipps, CWO, USN.

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: E. B. Marsh LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 27 (Date) MARCH (Month), 1962

Ø8-12: MOORED AS BEFORE. Ø827 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

H. L. SWAN, ENS, USNR

12-16: MOORED AS BEFORE. 1315 USCGS CLOVER (WAGL-292) STOOD OUT OF THE HARBOR. 1318 COMMENCED TAKING ON FUEL. DRAFT FWD 13'3", AFT 17'3". 1340 STATIONED LINE HANDLERS. 1346 COMMENCED MANEUVERING ALONGSIDE THE PIER TO TIGHTEN ALL LINES. 1413 COMPLETED TAKING ON FUEL; DRAFT FWD 14'6", AFT 17'4"; AMOUNT RECEIVED: 4126 GALLONS. 1416 COMPLETED MANEUVERING ALONGSIDE THE PIER. 1430: WHILE WORKING ABOARD SHIP, WELLS, R.A. 903 Ø1 26, EN2, USN RECEIVED A SLIGHT ABRASION OF THE LEFT TIBIA WHEN HE TRIPPED OVER AN ANGLE IRON STRIKING HIS LEFT LEG AGAINST A DECK PLATE; NOT DUE TO HIS OWN MISCONDUCT. TREATMENT ADMINISTERED BY THE MEDICAL REPRESENTATIVE. DISPOSITION: RELIEVED OF DUTIES FOR THE DAY.

H. L. SWAN, ENS, USNR

16-2Ø: MOORED AS BEFORE. 18ØØ SET MATERIAL CONDITION YOKE.

H. L. SWAN, ENS, USNR

2Ø-24: MOORED AS BEFORE.

H. L. SWAN, ENS, USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Mash LT JG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE WEDNESDAY (Day) 28 (Date) MARCH (Month), 19 69

AT/~~PASSAGE FROM~~ ADAK, ALASKA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	0	0	1	OVC	29.74	33	32	9	350	ST			
02	0	0	1	OVC	29.73	33	32	9	350	ST			
03	0	0	1	OVC	29.71	34	32	9	700	CU			
04	0	0	1	OVC	29.70	33	31	9	1000	SC			
05	0	0	1	OVC	29.69	33	30	9	1050	AC			
06	0	0	1	OVC	29.69	32	29	9	1050	AC			
07	0	0	1	OVC	29.68	32	29	9	1050	AC			
08	0	0	2	OVC	29.66	34	31	10	1050	AC			
09	0	0	2	OVC	29.66	37	32	10	1750	AC			
10	150	4	3	OVC	29.65	37	30	10	2450	AC			
11	150	6	2	OVC	29.65	41	36	10	1750	AC			
12	095	5	2	OVC	29.64	46	39	10	2450	AC			
13	080	5	2	OVC	29.62	46	39	10	2450	AC			
14	085	5	2	OVC	29.60	46	39	10	2450	AC			
15	085	5	2	OVC	29.60	46	39	10	2450	AC			
16	080	5	2	S	29.58	39	38	10	350	ST			
17	080	5	1	S	29.58	37	35	10	700	CU			
18	075	4	1	S	29.56	37	35	10	700	CU			
19	090	4	1	OVC	29.54	36	34	10	700	CU			
20	100	3	1	S	29.59	35	34	10	350	ST			
21	130	4	1	S	29.59	35	34	10	350	ST			
22	100	1	1	S	29.59	33	33	10	0	ST			
23	110	2	1	OVC	29.58	34	33	10	350	ST			
24	110	2	1	SW	29.57	34	33	10	350	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 522

REMARKS

00-04: MOORED PORT SIDE TO PIER FIVE(5) AT U.S. NAVAL STATION, ADAK, ALASKA WITH FOUR(4) 1 3/4 INCH SPRING LAY LINES PLUS ONE(1) 8 INCH MANILA LINE FORWARD AND ONE(1) 8 INCH MANILA LINE AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS DISTRICT CRAFT. SOPA IS COMMANDING OFFICER, U.S. NAVAL STATION, ADAK, ALASKA.

H. L. [illegible], ENS, USNR

04-08: MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE.

H. L. [illegible], ENS, USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Mash LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP HIBNAKI (ATF-96) WEDNESDAY (Day) 28 (Date) MARCH (Month) 19 62

08-12. Moored as before. 0829. Made daily inspection of magazine and smokeless powder sampler. Condition normal. 0929. Gale warning reduced to small craft.

J. E. Hoffey CWO USN.

12-16. Moored as before.

J. E. Hoffey CWO USN.

16-20 Moored as before. 1800 Set material condition Yoke second deck and below.

J. E. Hoffey CWO USN.

20-24. Moored as before.

J. E. Hoffey CWO USN.

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Masche LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI, (ATF-96) ZONE DESCRIPTION +11 DATE THURSDAY 29 MARCH, 19 64
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ ADAK, ALASKA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	0	0	1	SW	29.57	34	33	10	350	ST			
02	120	5	1	S	29.56	34	33	10	350	ST			
03	130	4	1	S	29.56	35	34	10	350	ST			
04	130	4	1	S	29.54	34	34	10	0	ST			
05	0	0	1	S	29.54	34	34	10	0	ST			
06	130	3	1	S	29.54	34	33	10	350	ST			
07	130	1	3	BKN	29.52	35	34	8	350	ST			
08	140	1	2	OVC	29.51	36	35	10	350	ST			
09	115	3	3	BKN	29.52	39	37	8	700	CU			
10	095	3	1	S	29.52	41	38	10	1050	AC			
11	090	3	1	BKN	29.52	47	41	8	2100	AC			
12	085	2	1	S	29.52	40	39	10	350	ST			
13	090	3	1	S	29.52	40	40	10	0	ST			
14	105	1	1	S	29.51	40	39	10	350	ST			
15	125	4	1	S	29.49	40	38	10	700	CU			
16	140	5	1	S	29.46	35	35	10	0	ST			
17	130	8	1	S	29.45	37	35	10	700	CU			
18	115	6	1	S	29.44	38	35	10	1050	AC			
19	110	8	2	BKN	29.42	36	33	9	1050	AC			
20	110	5	2	BKN	29.38	36	33	8	1050	AC			
21	100	5	1	BKN	29.36	35	33	8	700	CU			
22	100	5	1	BKN	29.32	35	33	9	700	CU			
23	095	5	1	BKN	29.26	35	33	9	700	CU			
24	090	7	1	BKN	29.24	35	33	9	700	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 666

REMARKS

00-04. Moored Port side to pier five(5) at U.S. Naval Station Adak, Alaska with four (4) 1¾" spring lay lines plus one (1) 8 inch manila forward and one (1) 8 inch aft manila. Receiving miscellaneous service from the pier. Ship present include A.T.C.G.S. Clover (WAGL-292) and various district craft. SOPA is Commanding Officer U.S. Naval Station Adak, Alaska.

J.E. Hoffey CWO USN.

04-08. Moored as before 0750 Mustred the crew at Quarters for muster and inspection, absentees none.

J.E. Hoffey CWO USN

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

E.B. Masch LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 29 (Date) MARCH (Month), 19 62

08-12 MOORED AS BEFORE. 0825 MADE DAILY INSPECTION OF MAGAZINE TEMPERATURES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL.

E.B. Masch LTJG USNR

12-16 MOORED AS BEFORE.

E.B. Masch LTJG USNR

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

E.B. Masch LTJG USNR

20-24 MOORED AS BEFORE.

E.B. Masch LTJG USNR

APPROVED: [signature] LT U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE FRIDAY (Day) 30 (Date) MARCH (Month), 1969

AT/~~PASSAGE FROM~~ ADAK, ALASKA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	090	8	1	BKN	29.33	35	32	9	1050	AC			
02	085	4	1	BKN	29.30	36	34	9	700	CU			
03	090	6	1	BKN	29.17	36	33	9	1050	AC			
04	085	9	½	BKN	29.16	35	33	9	700	CU			
05	090	7	½	BKN	29.14	36	33	9	1050	AC			
06	075	5	3	BKN	29.14	35	33	9	700	CU			
07	065	7	½	SCT	29.13	35	33	10	700	CU			
08	035	8	½	BKN	29.13	37	35	9	700	CU			
09	040	15	3	BKN	29.13	37	35	9	700	CU			
10	040	16	3	BKN	29.13	44	35	9	3150	CI			
11	045	20	½	BKN	29.13	42	37	9	1750	AC			
12	045	15	3	BKN	29.14	56	45	9	3150	CI			
13	035	15	½	BKN	29.14	40	37	9	1050	AC			
14	010	10	3	BKN	29.14	46	45	9	350	SC			
15	010	10	1	S	29.14	38	36	10	700	CU			
16	015	10	1	BKN	29.15	38	36	9	700	CU			
17	030	10	1	BKN	29.15	39	37	9	700	CU			
18	030	10	1	BKN	29.17	38	36	9	700	CU			
19	030	12	1	S	29.20	36	36	10	0	ST			
20	010	10	3	S	29.14	32	32	10	0	ST			
21	345	12	3	S	29.14	32	32	10	0	ST			
22	345	15	3	S	29.13	32	32	10	0	ST			
23	005	10	3	S	29.13	32	32	10	0	ST			
24	345	9	½	S	29.09	31	32	10	0	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 322

REMARKS

00-04 MOORED PORT SIDE TO PIER FIVE (5) U.S. NAVAL STATION, ADAK ALASKA WITH FOUR (4) 1¾" SPRINGLAY LINES PLUS ONE(1) EIGHT(8) INCH MANILA LINE FORWARD AND ONE(1) EIGHT (8) INCH MANILA LINE AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE USCGS CLOVER (WAGL-292) PLUS VARIOUS DISTRICT CRAFT. SOPA IS COMMANDING OFFICER U.S. NAVAL STATION ADAK, ALASKA.

E. B. Masch LTJG USNR

04-08 MOORED AS BEFORE. 0750 HELD QUARTERS FOR MUSTER AND INSPECTION, ABSENTEES NONE.

E. B. Masch LTJG USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 30 MARCH (Date) (Month) 19 62

08-12 Moored as before. 0902 Made daily inspection of magazines and smokeless powder samples; conditions normal. Made weekly test of magazine sprinkling system; test satisfactory.

J. J. Gupp, CWO, USN

12-16 Moored as before.

J. J. Gupp, CWO, USN.

16-20 Moored as before. 1800 Set material condition Yoke, second deck and below.

J. J. Gupp, CWO, USN

20-24 Moored as before.

J. J. Gupp, CWO, USN.

APPROVED: _____ LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE SATURDAY (Day) 31 (Date) MARCH (Month), 19 68

AT/~~PASSAGE FROM~~ ADAK, ALASKA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	350	10	2	SW	29.07	31	32	9	350	ST			
02	345	10	2	OVC	29.05	31	32	10	350	ST			
03	350	6	2	SW	29.03	32	32	10	350	ST			
04	350	6	2	SW	29.01	32	32	10	350	ST			
05	340	10	2	SW	29.00	32	32	10	350	ST			
06	340	5	2	SW	29.00	32	32	10	350	ST			
07	345	6	2	SW	29.00	32	32	10	350	ST			
08	330	8	2	OVC	28.99	36	35	10	350	ST			
09	320	2	1	OVC	28.99	38	37	10	350	ST			
10	340	2	2	OVC	28.99	43	39	10	1400	AC			
11	005	2	2	OVC	29.00	45	44	10	350	ST			
12	345	6	2	OVC	29.00	43	39	10	1050	SC			
13	340	3	2	OVC	29.00	50	49	10	350	ST			
14	335	4	3	BKN	28.99	42	41	8	350	ST			
15	350	4	3	BKN	28.99	41	40	8	350	ST			
16	015	8	2	S	28.99	40	39	10	350	ST			
17	015	8	2	S	28.99	39	37	10	700	SC			
18	015	8	2	BKN	28.99	37	35	8	700	SC			
19	015	8	2	S	28.99	36	35	10	350	ST			
20	015	6	2	BKN	28.98	37	35	8	700	SC			
21	025	8	2	BKN	28.98	36	34	8	700	SC			
22	030	8	2	BKN	28.97	36	34	8	700	SC			
23	020	10	1	S	28.95	36	35	10	350	ST			
24	340	6	2	R	28.95	36	35	10	350	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 579

REMARKS

00-04 Moored portside to pier five (5) at U.S. Naval Station, Adak Alaska with four (4) 1 3/4 inch spring lay mooring lines, plus one (1) eight inch manila bow forward and one (1) eight inch manila aft. Receiving miscellaneous services from the pier. Ships present include USCGS Glover (WAGL 292) plus various district craft. SOPA is Commanding Officer, U.S. Naval Station, Adak, Alaska.

J. J. Gipps, CWO, USN.

04-08 Moored as before.

J. J. Gipps, CWO, USN.

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: E. B. Mauch LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 31 (Date) MARCH (Month), 19 62

0800-1200: MOORED AS BEFORE. 0801 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE. 0825 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. 1000 COMMENCED COMMANDING OFFICER'S OPEN HOUSE.

H K Swan, ENS, USNR

1200-1600: MOORED AS BEFORE. 1500 SECURED FROM COMMANDING OFFICER'S OPEN HOUSE.

H K Swan, ENS, USNR

1600-2000: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

H K Swan, ENS, USNR

2000-2400: MOORED AS BEFORE.

H K Swan, ENS, USNR

APPROVED:

LT, U. S. N. COMMANDING

EXAMINED:

E. B. Mash LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) (Date) (Month), 19__

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR